

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW012220\
 Data File : VW014711.D
 Acq On : 22 Jan 2020 14:06
 Operator : SY/VA
 Sample : VW0122SBL01
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VW0122SBL01

Quant Time: Jan 22 15:19:18 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W010320S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jan 03 16:07:20 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	642925	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	1022502	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	866095	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.55	152	402572	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.30	65	320599	57.03	ug/l	0.00
Spiked Amount 50.000			Recovery	=	114.06%	
35) Dibromofluoromethane	7.88	113	312177	53.42	ug/l	0.00
Spiked Amount 50.000			Recovery	=	106.84%	
50) Toluene-d8	10.32	98	1256196	51.51	ug/l	0.00
Spiked Amount 50.000			Recovery	=	103.02%	
62) 4-Bromofluorobenzene	12.62	95	405004	48.96	ug/l	0.00
Spiked Amount 50.000			Recovery	=	97.92%	
Target Compounds						
16) Acetone	4.12	43	29386	18.514	ug/l	Qvalue 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW012220\
Data File : VW014711.D
Acq On : 22 Jan 2020 14:06
Operator : SY/VA
Sample : VW0122SBL01
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VW0122SBL01

Quant Time: Jan 22 15:19:18 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W010320S.M
Quant Title : SW846 8260
QLast Update : Fri Jan 03 16:07:20 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 991

Delta R.T. -0.00 min

Lab File: VW014711.D

Acq: 22 Jan 2020 14:06

Instrument :

MSVOA_W

ClientSampleId :


VW0122SBL01

Tot Ion:168 Resp: 642925

Ion Ratio Lower Upper

168 100

99 51.8 41.1 61.7



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.95



300000

200000

100000

0

Time--> 7.80 7.90 8.00



#16

Acetone

Concen: 18.514 ug/l

RT: 4.12 min Scan# 363

Delta R.T. -0.00 min

Lab File: VW014711.D


Acq: 22 Jan 2020 14:06

Tgt Ion: 43 Resp: 29386

Ion Ratio Lower Upper

43 100

58 30.9 26.6 39.8



Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 58.00 (57.70 to 58.70): VW

4.12

10000

8000


6000


4000

2000

0

Time--> 4.00 4.10 4.20









#33
 1,2-Dichloroethane-d4
 Concen: 57.034 ug/l
 RT: 8.30 min Scan# 1049
 Delta R.T. -0.01 min
 Lab File: VW014711.D
 Acq: 22 Jan 2020 14:06




Instrument :
 MSVOA_W
 ClientSampleId :
 VW0122SBL01


Tot Ion: 65 Resp: 320599
 Ion Ratio Lower Upper
 65 100
 67 53.7 0.0 108.4



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1138
 Delta R.T. -0.00 min
 Lab File: VW014711.D
 Acq: 22 Jan 2020 14:06

Tgt Ion: 114 Resp: 1022502
 Ion Ratio Lower Upper
 114 100
 63 20.1 0.0 40.4
 88 15.5 0.0 30.6





#35

Dibromofluoromethane

Concen: 53.420 ug/l

RT: 7.88 min Scan# 980

Delta R.T. -0.00 min

Lab File: VW014711.D

Acq: 22 Jan 2020 14:06

Instrument :

MSVOA_W

ClientSampleId :

VW0122SBL01


Tot Ion:113 Resp: 312177

Ion Ratio Lower Upper

113 100

111 102.6 81.4 122.2




192 21.9 17.8 26.8



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V



#50

Toluene-d8

Concen: 51.510 ug/l

RT: 10.32 min Scan# 1380

Delta R.T. -0.01 min

Lab File: VW014711.D


Acq: 22 Jan 2020 14:06

Tgt Ion: 98 Resp: 1256196

Ion Ratio Lower Upper



98 100


100 65.9 53.8 80.6



Abundance Ion 98.00 (97.70 to 98.70): VW

Ion 100.00 (99.70 to 100.70): VW









#62
4-Bromofluorobenzene
Concen: 48.961 ug/l
RT: 12.62 min Scan# 1757
Delta R.T. -0.00 min
Lab File: VW014711.D
Acq: 22 Jan 2020 14:06




Instrument :
MSVOA_W
ClientSampleId :
VW0122SBL01


Tot Ion: 95 Resp: 405004
Ion Ratio Lower Upper
95 100
174 82.4 0.0 168.6
176 82.1 0.0 162.0



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1595
Delta R.T. -0.00 min
Lab File: VW014711.D
Acq: 22 Jan 2020 14:06

Tgt Ion: 117 Resp: 866095
Ion Ratio Lower Upper
117 100
82 55.9 44.6 67.0
119 31.8 25.7 38.5





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.55 min Scan# 1911

Delta R.T. -0.00 min

Lab File: VW014711.D

Acq: 22 Jan 2020 14:06

Instrument :

MSVOA_W

ClientSampleId :

VW0122SBL01


Tot Ion:152 Resp: 402572

Ion Ratio Lower Upper

152 100

115 57.2 27.7 83.1

150 155.1 0.0 343.4



Abundance

Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

