

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW012320\
 Data File : VW014718.D
 Acq On : 23 Jan 2020 10:18
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 24 04:34:18 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W010320S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jan 03 16:07:20 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	82	0.00
2 T	Dichlorodifluoromethane	0.282	0.262	7.1	81	0.00
3 P	Chloromethane	0.346	0.361	-4.3	101	0.00
4 C	Vinyl Chloride	0.508	0.546	-7.5#	93	0.00
5 T	Bromomethane	0.314	0.321	-2.2	88	0.00
6 T	Chloroethane	0.290	0.311	-7.2	90	0.00
7 T	Trichlorofluoromethane	0.254	0.318	-25.2#	104	0.00
8 T	Diethyl Ether	0.253	0.246	2.8	80	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.475	0.501	-5.5	88	0.00
10 T	Methyl Iodide	0.717	0.701	2.2	81	0.00
11 T	Tert butyl alcohol	0.038	0.028	26.3#	63	0.01
12 CM	1,1-Dichloroethene	0.498	0.516	-3.6#	87	0.00
13 T	Acrolein	0.038	0.040	-5.3	80	0.00
14 T	Allyl chloride	0.760	0.842	-10.8	91	0.00
15 T	Acrylonitrile	0.116	0.109	6.0	72	0.00
16 T	Acetone	0.123	0.124	-0.8	81	0.00
17 T	Carbon Disulfide	1.500	1.514	-0.9	84	0.00
18 T	Methyl Acetate	0.298	0.276	7.4	72	0.00
19 T	Methyl tert-butyl Ether	0.618	0.612	1.0	79	0.00
20 T	Methylene Chloride	0.572	0.536	6.3	87	0.00
21 T	trans-1,2-Dichloroethene	0.528	0.547	-3.6	86	0.00
22 T	Diisopropyl ether	1.423	1.536	-7.9	89	0.00
23 T	Vinyl Acetate	0.859	0.891	-3.7	80	0.00
24 P	1,1-Dichloroethane	0.898	0.981	-9.2	91	0.00
25 T	2-Butanone	0.158	0.151	4.4	72	0.00
26 T	2,2-Dichloropropane	0.497	0.529	-6.4	93	0.00
27 T	cis-1,2-Dichloroethene	0.555	0.569	-2.5	85	0.00
28 T	Bromochloromethane	0.352	0.413	-17.3	96	0.00
29 T	Tetrahydrofuran	0.098	0.089	9.2	69	0.00
30 C	Chloroform	0.840	0.902	-7.4#	90	0.00
31 T	Cyclohexane	0.933	0.943	-1.1	88	0.00
32 T	1,1,1-Trichloroethane	0.675	0.733	-8.6	90	0.00
33 S	1,2-Dichloroethane-d4	0.437	0.465	-6.4	87	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	82	0.00
35 S	Dibromofluoromethane	0.286	0.309	-8.0	88	0.00
36 T	1,1-Dichloropropene	0.482	0.521	-8.1	89	0.00
37 T	Ethyl Acetate	0.219	0.209	4.6	72	0.00
38 T	Carbon Tetrachloride	0.418	0.455	-8.9	89	0.00
39 T	Methylcyclohexane	0.619	0.637	-2.9	84	0.00
40 TM	Benzene	1.364	1.453	-6.5	88	0.00
41 T	Methacrylonitrile	0.122	0.133	-9.0	83	0.00
42 TM	1,2-Dichloroethane	0.354	0.371	-4.8	85	0.00
43 T	Isopropyl Acetate	0.397	0.382	3.8	74	0.00
44 TM	Trichloroethene	0.369	0.381	-3.3	86	0.00
45 C	1,2-Dichloropropane	0.335	0.357	-6.6#	88	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW012320\
 Data File : VW014718.D
 Acq On : 23 Jan 2020 10:18
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 24 04:34:18 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W010320S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jan 03 16:07:20 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.165	0.164	0.6	79	0.00
47 T	Bromodichloromethane	0.408	0.437	-7.1	86	0.00
48 T	Methyl methacrylate	0.194	0.175	9.8	68	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	68	0.01
50 S	Toluene-d8	1.193	1.267	-6.2	87	0.00
51 T	4-Methyl-2-Pentanone	0.206	0.196	4.9	71	0.00
52 CM	Toluene	0.858	0.900	-4.9#	86	0.00
53 T	t-1,3-Dichloropropene	0.422	0.429	-1.7	80	0.00
54 T	cis-1,3-Dichloropropene	0.516	0.537	-4.1	83	0.00
55 T	1,1,2-Trichloroethane	0.241	0.236	2.1	78	0.00
56 T	Ethyl methacrylate	0.314	0.306	2.5	73	0.00
57 T	1,3-Dichloropropane	0.424	0.421	0.7	79	0.00
58 T	2-Chloroethyl Vinyl ether	0.095	0.106	-11.6	84	0.00
59 T	2-Hexanone	0.142	0.141	0.7	72	0.00
60 T	Dibromochloromethane	0.272	0.272	0.0	79	0.00
61 T	1,2-Dibromoethane	0.229	0.219	4.4	75	0.00
62 S	4-Bromofluorobenzene	0.404	0.428	-5.9	86	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	82	0.00
64 T	Tetrachloroethene	0.362	0.366	-1.1	83	0.00
65 PM	Chlorobenzene	1.024	1.064	-3.9	85	0.00
66 T	1,1,1,2-Tetrachloroethane	0.345	0.362	-4.9	84	0.00
67 C	Ethyl Benzene	1.846	1.977	-7.1#	86	0.00
68 T	m/p-Xylenes	0.707	0.748	-5.8	86	0.00
69 T	o-Xylene	0.653	0.683	-4.6	85	0.00
70 T	Styrene	1.104	1.184	-7.2	85	0.00
71 P	Bromoform	0.188	0.178	5.3	73	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	79	0.00
73 T	Isopropylbenzene	3.669	3.875	-5.6	84	0.00
74 T	N-amyl acetate	0.823	0.808	1.8	72	0.00
75 P	1,1,2,2-Tetrachloroethane	0.662	0.632	4.5	73	0.00
76 T	1,2,3-Trichloropropane	0.473	0.476	-0.6	72	0.00
77 T	Bromobenzene	0.852	0.859	-0.8	80	0.00
78 T	n-propylbenzene	4.314	4.679	-8.5	87	0.00
79 T	2-Chlorotoluene	2.455	2.575	-4.9	85	0.00
80 T	1,3,5-Trimethylbenzene	3.080	3.240	-5.2	84	0.00
81 T	trans-1,4-Dichloro-2-butene	0.212	0.208	1.9	72	0.00
82 T	4-Chlorotoluene	2.551	2.686	-5.3	85	0.00
83 T	tert-Butylbenzene	2.697	2.844	-5.5	84	0.00
84 T	1,2,4-Trimethylbenzene	3.065	3.220	-5.1	84	0.00
85 T	sec-Butylbenzene	3.733	3.931	-5.3	84	0.00
86 T	p-Isopropyltoluene	3.403	3.608	-6.0	84	0.00
87 T	1,3-Dichlorobenzene	1.657	1.707	-3.0	83	0.00
88 T	1,4-Dichlorobenzene	1.636	1.658	-1.3	82	0.00
89 T	n-Butylbenzene	3.160	3.433	-8.6	85	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW012320\
Data File : VW014718.D
Acq On : 23 Jan 2020 10:18
Operator : SY/VA
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Jan 24 04:34:18 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W010320S.M
Quant Title : SW846 8260
QLast Update : Fri Jan 03 16:07:20 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.594	0.625	-5.2	84	0.00
91 T	1,2-Dichlorobenzene	1.456	1.451	0.3	80	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.105	0.095	9.5	68	0.00
93 T	1,2,4-Trichlorobenzene	0.983	1.024	-4.2	79	0.00
94 T	Hexachlorobutadiene	0.659	0.682	-3.5	84	0.00
95 T	Naphthalene	1.677	1.725	-2.9	72	0.00
96 T	1,2,3-Trichlorobenzene	0.857	0.896	-4.6	79	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6