

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW012420\
 Data File : VW014747.D
 Acq On : 24 Jan 2020 16:33
 Operator : SY/VA
 Sample : L1007-11
 Misc : 8.22G/5ML/MSVOA W/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 JC-03-012320-B

Quant Time: Jan 25 06:22:34 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W012420S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jan 24 13:12:20 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	516116	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	850148	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	738221	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.55	152	286952	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.30	65	247076	49.70	ug/l	0.00
Spiked Amount 50.000			Recovery	=	99.40%	
35) Dibromofluoromethane	7.88	113	242417	48.99	ug/l	0.00
Spiked Amount 50.000			Recovery	=	97.98%	
50) Toluene-d8	10.32	98	1005592	49.28	ug/l	0.00
Spiked Amount 50.000			Recovery	=	98.56%	
62) 4-Bromofluorobenzene	12.62	95	318926	46.75	ug/l	0.00
Spiked Amount 50.000			Recovery	=	93.50%	
Target Compounds						
11) Tert butyl alcohol	5.17	59	6338	17.744	ug/l #	94
16) Acetone	4.12	43	16916	13.540	ug/l	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW012420\
Data File : VW014747.D
Acq On : 24 Jan 2020 16:33
Operator : SY/VA
Sample : L1007-11
Misc : 8.22G/5ML/MSVOA W/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
JC-03-012320-B

Quant Time: Jan 25 06:22:34 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W012420S.M
Quant Title : SW846 8260
QLast Update : Fri Jan 24 13:12:20 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 991

Delta R.T. 0.00 min

Lab File: VW014747.D

Acq: 24 Jan 2020 16:33

Instrument :

MSVOA_W

ClientSampleId :


JC-03-012320-B

Tot Ion:168 Resp: 516116

Ion Ratio Lower Upper

168 100

99 51.0 42.6 64.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.95

250000

200000



150000

100000

50000

0

Time--> 7.80 7.90 8.00 8.10



#11

Tert butyl alcohol

Concen: 17.744 ug/l

RT: 5.17 min Scan# 535

Delta R.T. 0.01 min

Lab File: VW014747.D


Acq: 24 Jan 2020 16:33

Tgt Ion: 59 Resp: 6338

Ion Ratio Lower Upper

59 100

57 8.5 8.6 12.8#



Abundance Ion 59.00 (58.70 to 59.70): VW

Ion 57.00 (56.70 to 57.70): VW

5.17

2000


1500


1000

500

0

Time--> 5.10 5.20









#16
Acetone
Concen: 13.540 ug/l
RT: 4.12 min Scan# 363
Delta R.T. 0.01 min
Lab File: VW014747.D
Acq: 24 Jan 2020 16:33




Instrument :
MSVOA_W
ClientSampleId :
JC-03-012320-B


Tot Ion: 43 Resp: 16916
Ion Ratio Lower Upper
43 100
58 30.5 25.6 38.4



#33
1,2-Dichloroethane-d4
Concen: 49.705 ug/l
RT: 8.30 min Scan# 1049
Delta R.T. 0.00 min
Lab File: VW014747.D
Acq: 24 Jan 2020 16:33

Tgt Ion: 65 Resp: 247076
Ion Ratio Lower Upper
65 100
67 54.0 0.0 106.0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.84 min Scan# 1138

Delta R.T. 0.00 min

Lab File: VW014747.D

Acq: 24 Jan 2020 16:33

Instrument :

MSVOA_W

ClientSampleId :

JC-03-012320-B


Tot Ion:114 Resp: 850148

Ion Ratio Lower Upper

114 100

63 21.6 0.0 41.2




88 16.1 0.0 32.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VW

Ion 87.90 (87.60 to 88.60): VW



#35

Dibromofluoromethane

Concen: 48.986 ug/l

RT: 7.88 min Scan# 980

Delta R.T. 0.00 min

Lab File: VW014747.D

Acq: 24 Jan 2020 16:33


Tgt Ion:113 Resp: 242417

Ion Ratio Lower Upper

113 100

111 101.7 82.2 123.2



192 21.3 17.0 25.6




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 49.280 ug/l
RT: 10.32 min Scan# 1381
Delta R.T. 0.00 min
Lab File: VW014747.D
Acq: 24 Jan 2020 16:33




Instrument :
MSVOA_W
ClientSampleId :
JC-03-012320-B


Tot Ion: 98 Resp: 1005592
Ion Ratio Lower Upper
98 100
100 65.9 52.6 79.0



#62
4-Bromofluorobenzene
Concen: 46.746 ug/l
RT: 12.62 min Scan# 1757
Delta R.T. 0.00 min
Lab File: VW014747.D
Acq: 24 Jan 2020 16:33

Tgt Ion: 95 Resp: 318926
Ion Ratio Lower Upper
95 100
174 81.1 0.0 163.0
176 76.3 0.0 159.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1595
Delta R.T. 0.00 min
Lab File: VW014747.D
Acq: 24 Jan 2020 16:33

Instrument :
MSVOA_W
ClientSampleId :
JC-03-012320-B

Tot Ion:117 Resp: 738221
Ion Ratio Lower Upper
117 100
82 57.2 45.9 68.9
119 31.4 25.7 38.5



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.55 min Scan# 1911
Delta R.T. 0.00 min
Lab File: VW014747.D
Acq: 24 Jan 2020 16:33

Tgt Ion:152 Resp: 286952
Ion Ratio Lower Upper
152 100
115 57.6 29.0 87.1
150 156.5 0.0 354.0

