

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW012720\
 Data File : VW014779.D
 Acq On : 27 Jan 2020 21:51
 Operator : SY/VA
 Sample : VIBLK22
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Jan 28 08:29:34 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM012720S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jan 28 07:18:57 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	1028004	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	934281	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	401238	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	366955	22.54	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.16%
7) Chloroethane-d5	2.89	69	313894	22.69	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.76%
10) 1,1-Dichloroethene-d2	4.02	63	442071	15.00	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	60.00%
20) 2-Butanone-d5	7.07	46	209037	45.21	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	90.42%
24) Chloroform-d	7.64	84	641098	22.59	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.36%
26) 1,2-Dichloroethane-d4	8.30	65	359543m	23.53	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.12%
29) Benzene-d6	8.27	84	1343579	22.85	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	91.40%
33) 1,2-Dichloropropane-d6	9.27	67	428947	23.47	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	93.88%
37) Toluene-d8	10.32	98	1186858	22.66	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.64%
38) trans-1,3-Dichloropropene-	10.57	79	158034	21.70	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.80%
39) 2-Hexanone-d5	10.92	63	163285	47.60	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.20%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	323317	22.54	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	90.16%
61) 1,2-Dichlorobenzene-d4	13.85	152	394014	25.06	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.24%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW012720\
Data File : VW014779.D
Acq On : 27 Jan 2020 21:51
Operator : SY/VA
Sample : VIBLK22
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Jan 28 08:29:34 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM012720S.M
Quant Title : VOC Analysis
QLast Update : Tue Jan 28 07:18:57 2020
Response via : Initial Calibration

