

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW012920\
 Data File : VW014791.D
 Acq On : 29 Jan 2020 12:44
 Operator : SY/VA
 Sample : VW0129SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK27

Quant Time: Jan 30 07:12:34 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM012720S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jan 30 07:05:48 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	986206	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	882923	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	383850	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	377777	24.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	96.72%
7) Chloroethane-d5	2.89	69	331789	25.00	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	100.00%
10) 1,1-Dichloroethene-d2	4.02	63	505027	17.87	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	71.48%
20) 2-Butanone-d5	7.07	46	204782	46.17	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.34%
24) Chloroform-d	7.65	84	648788	23.83	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.32%
26) 1,2-Dichloroethane-d4	8.30	65	357212	24.37	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	97.48%
29) Benzene-d6	8.27	84	1372651	24.70	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	98.80%
33) 1,2-Dichloropropane-d6	9.27	67	429016	24.84	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	99.36%
37) Toluene-d8	10.32	98	1197843	24.20	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.80%
38) trans-1,3-Dichloropropene-	10.58	79	162279	23.58	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	94.32%
39) 2-Hexanone-d5	10.92	63	151929	46.87	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	93.74%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	316011	23.31	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.24%
61) 1,2-Dichlorobenzene-d4	13.85	152	380973	25.33	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	101.32%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	32671	1.960 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW012920\
Data File : VW014791.D
Acq On : 29 Jan 2020 12:44
Operator : SY/VA
Sample : VW0129SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK27

Quant Time: Jan 30 07:12:34 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM012720S.M
Quant Title : VOC Analysis
QLast Update : Thu Jan 30 07:05:48 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 1.960 ug/L
RT: 4.92 min Scan# 495
Delta R.T. 0.01 min
Lab File: VW014791.D
Acq: 29 Jan 2020 12:44

Instrument :
MSVOA_W
ClientSampleId :
VBLK27

Tot Ion: 84 Resp: 32671

Ion	Ratio	Lower	Upper
84	100		
49	127.1	90.9	168.7
86	66.2	43.5	80.7

