

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW012920\
 Data File : VW014793.D
 Acq On : 29 Jan 2020 14:31
 Operator : SY/VA
 Sample : VIBLK30
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK30

Quant Time: Jan 30 07:22:05 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM012720S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jan 30 07:05:48 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	952056	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	851743	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	365623	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	344148	22.82	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.28%
7) Chloroethane-d5	2.89	69	290292	22.66	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.64%
10) 1,1-Dichloroethene-d2	4.01	63	460827	16.89	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.56%
20) 2-Butanone-d5	7.07	46	209240	48.87	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.74%
24) Chloroform-d	7.64	84	589179	22.42	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	89.68%
26) 1,2-Dichloroethane-d4	8.30	65	329556	23.29	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.16%
29) Benzene-d6	8.27	84	1237869	23.09	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.36%
33) 1,2-Dichloropropane-d6	9.27	67	390685	23.45	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	93.80%
37) Toluene-d8	10.32	98	1089752	22.82	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.28%
38) trans-1,3-Dichloropropene-	10.57	79	147297	22.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.72%
39) 2-Hexanone-d5	10.92	63	151605	48.48	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.96%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	302409	23.12	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.48%
61) 1,2-Dichlorobenzene-d4	13.85	152	348184	24.30	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.20%


Target Compounds				Ovalue
16) Methylene chloride	4.92	84	36854	2.291 ug/L 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW012920\
Data File : VW014793.D
Acq On : 29 Jan 2020 14:31
Operator : SY/VA
Sample : VIBLK30
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK30

Quant Time: Jan 30 07:22:05 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM012720S.M
Quant Title : VOC Analysis
QLast Update : Thu Jan 30 07:05:48 2020
Response via : Initial Calibration





#16
 Methylene chloride
 Concen: 2.291 ug/L
 RT: 4.92 min Scan# 494
 Delta R.T. 0.01 min
 Lab File: VW014793.D
 Acq: 29 Jan 2020 14:31

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK30

Tot Ion: 84 Resp: 36854
 Ion Ratio Lower Upper
 84 100
 49 124.8 90.9 168.7
 86 59.1 43.5 80.7

