

Data File : VW014809.D
Acq On : 30 Jan 2020 13:29
Operator : SY/VA
Sample : L1303-10
Misc : 4.85G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AF5

Quant Time: Jan 31 01:11:34 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM012720S.M
Quant Title : VOC Analysis
QLast Update : Fri Jan 31 01:08:17 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	1090279	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	955209	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	393317	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	367644	21.29	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.16%
7) Chloroethane-d5	2.89	69	291213	19.85	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.40%
10) 1,1-Dichloroethene-d2	4.01	63	437005	13.99	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	55.96%
20) 2-Butanone-d5	7.07	46	126360	25.77	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	51.54%
24) Chloroform-d	7.65	84	600324	19.95	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	79.80%
26) 1,2-Dichloroethane-d4	8.31	65	302962	18.69	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	74.76%
29) Benzene-d6	8.27	84	1266140	21.06	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	84.24%
33) 1,2-Dichloropropane-d6	9.27	67	389927	20.87	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	83.48%
37) Toluene-d8	10.32	98	1112364	20.77	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	83.08%
38) trans-1,3-Dichloropropene-	10.57	79	136683	18.36	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	73.44%
39) 2-Hexanone-d5	10.92	63	92440	26.36	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	52.72%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	221674	15.11	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	60.44%
61) 1,2-Dichlorobenzene-d4	13.85	152	323152	20.96	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	83.84%


Target Compounds					Qvalue
42) cis-1,3-Dichloropropene	10.03	75	8786	0.388 ug/L #	64
47) Tetrachloroethene	10.86	164	14075	1.133 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VW014809.D
Acq On : 30 Jan 2020 13:29
Operator : SY/VA
Sample : L1303-10
Misc : 4.85G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AF5

Quant Time: Jan 31 01:11:34 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM012720S.M
Quant Title : VOC Analysis
QLast Update : Fri Jan 31 01:08:17 2020
Response via : Initial Calibration





#42

cis-1,3-Dichloropropene

Concen: 0.388 ug/L

RT: 10.03 min Scan# 1333

Delta R.T. -0.04 min

Lab File: VW014809.D

Acq: 30 Jan 2020 13:29

Instrument :

MSVOA_W

ClientSampleId :





C0AF5

Tgt Ion: 75 Resp: 8786

Ion Ratio Lower Upper

75 100

77 52.0 22.3 41.3#



#47

Tetrachloroethene

Concen: 1.133 ug/L

RT: 10.86 min Scan# 1469

Delta R.T. 0.00 min

Lab File: VW014809.D

Acq: 30 Jan 2020 13:29

Tgt Ion:164 Resp: 14075

Ion Ratio Lower Upper

164 100

129 85.0 64.4 119.6

131 104.0 61.2 113.6

166 129.9 88.8 165.0

