




Quantitation Report (Qedit)

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW020221\
Data File : VW018014.D
Acq On : 02 Feb 2021 16:35
Operator : SY/VA
Sample : VIBLK05
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AA7

Quant Time: Feb 03 00:27:23 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM012921S.M
Quant Title : VOC Analysis
QLast Update : Wed Feb 03 00:24:42 2021
Response via : Initial Calibration



TIC: VW018014.D\data.ms

(13) Acetone (T)

4.129min (+ 0.012) 1.18 ug/L

response 1193




Ion	Exp%	Act%
43.00	100.00	100.00
58.00	34.20	23.30
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW020221\
 Data File : VW018014.D
 Acq On : 02 Feb 2021 16:35
 Operator : SY/VA
 Sample : VIBLK05
 Misc : 5.00G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AA7

Quant Time: Feb 03 00:27:23 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM012921S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Feb 03 00:24:42 2021
 Response via : Initial Calibration



TIC: VW018014.D\data.ms

(13) Acetone (T)

4.129min (+ 0.012) 1.67 ug/L m

response 1696

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	34.20	16.39
0.00	0.00	0.00
0.00	0.00	0.00

2/08/21 sy

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW020221\
 Data File : VW018014.D
 Acq On : 02 Feb 2021 16:35
 Operator : SY/VA
 Sample : VIIBLK05
 Misc : 5.00G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AA7

Quant Time: Feb 03 00:27:23 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM012921S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Feb 03 00:24:42 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	412826	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.627	117	375997	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.560	152	194040	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	103851	20.24	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery =	80.96%		
7) Chloroethane-d5	2.891	69	83658	20.54	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery =	82.16%		
10) 1,1-Dichloroethene-d2	4.019	63	161331	15.73	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery =	62.92%		
20) 2-Butanone-d5	7.073	46	56453	41.23	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery =	82.46%		
24) Chloroform-d	7.646	84	242578	22.39	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery =	89.56%		
26) 1,2-Dichloroethane-d4	8.305	65	128986	22.35	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery =	89.40%		
29) Benzene-d6	8.274	84	481962	23.34	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery =	93.36%		
33) 1,2-Dichloropropane-d6	9.274	67	134578	23.31	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery =	93.24%		
37) Toluene-d8	10.323	98	454618	23.14	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery =	92.56%		
38) trans-1,3-Dichloroprop...	10.579	79	58952	22.52	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery =	90.08%		
39) 2-Hexanone-d5	10.926	63	46816	42.41	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery =	84.82%		
48) 1,1,2,2-Tetrachloroeth...	12.688	84	112809	22.24	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery =	88.96%		
61) 1,2-Dichlorobenzene-d4	13.853	152	164166	23.72	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery =	94.88%		
Target Compounds						
13) Acetone	4.129	43	1696m)	1.67	ug/L	Qvalue
16) Methylene chloride	4.921	84	8332	1.26	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW020221\
Data File : VW018014.D
Acq On : 02 Feb 2021 16:35
Operator : SY/VA
Sample : VIBLK05
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AA7

Quant Time: Feb 03 00:27:23 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM012921S.M
Quant Title : VOC Analysis
QLast Update : Wed Feb 03 00:24:42 2021
Response via : Initial Calibration

