

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW020222\
 Data File : VW022029.D
 Acq On : 02 Feb 2022 14:23
 Operator : SY/VA
 Sample : N1353-09
 Misc : 3.22g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0VF2

Quant Time: Feb 03 00:43:05 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM020122SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Feb 03 00:41:48 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	136838	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	130342	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	68750	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	38049	23.084	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	92.320%
7) Chloroethane-d5	2.879	69	24722	19.482	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.920%
11) 1,1-Dichloroethene-d2	4.013	63	43472	14.928	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	59.720%
21) 2-Butanone-d5	7.080	46	15437	52.803	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	105.600%
24) Chloroform-d	7.647	84	65852	20.685	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	82.720%
26) 1,2-Dichloroethane-d4	8.305	65	36804	23.236	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	92.960%
32) Benzene-d6	8.275	84	134926	20.484	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	81.920%
36) 1,2-Dichloropropane-d6	9.274	67	38046	21.236	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	84.960%
41) Toluene-d8	10.323	98	141156	21.623	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	86.480%
43) trans-1,3-Dichloroprop...	10.573	79	16329	20.810	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.240%
47) 2-Hexanone-d5	10.920	63	14408	55.314	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	110.620%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	33485	22.915	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	91.680%
66) 1,2-Dichlorobenzene-d4	13.847	152	52140	21.023	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	84.080%
Target Compounds						Qvalue
13) Acetone	4.129	43	283995	1040.128	ug/L	100
22) 2-Butanone	7.171	43	833878	2358.829	ug/L	94
40) 4-Methyl-2-pentanone	10.207	43	3242102	4402.515	ug/L	98
42) Toluene	10.384	91	8205	1.059	ug/L	95
52) Ethylbenzene	11.725	91	8913	1.043	ug/L	94
53) m,p-Xylene	11.829	106	17808	5.022	ug/L	96
54) o-Xylene	12.164	106	8397	2.531	ug/L	99
62) 1,3,5-Trimethylbenzene	12.938	105	2020	0.339	ug/L	92
63) 1,2,4-Trimethylbenzene	13.243	105	4909	0.676	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW020222\
Data File : VW022029.D
Acq On : 02 Feb 2022 14:23
Operator : SY/VA
Sample : N1353-09
Misc : 3.22g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0VF2

Quant Time: Feb 03 00:43:05 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM020122SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Feb 03 00:41:48 2022
Response via : Initial Calibration









#13
Acetone
Concen: 1040.128 ug/L
RT: 4.129 min Scan# 301
Delta R.T. -0.018 min
Lab File: VW022029.D
Acq: 02 Feb 2022 14:23




Instrument :
MSVOA_W
ClientSampleId :
C0VF2


Tgt Ion: 43 Resp: 283995
Ion Ratio Lower Upper
43 100
58 32.8 0.0 66.0



#22
2-Butanone
Concen: 2358.829 ug/L
RT: 7.171 min Scan# 864
Delta R.T. -0.012 min
Lab File: VW022029.D
Acq: 02 Feb 2022 14:23

Tgt Ion: 43 Resp: 833878
Ion Ratio Lower Upper
43 100
72 30.3 16.8 50.4









#40
4-Methyl-2-pentanone
Concen: 4402.515 ug/L
RT: 10.207 min Scan# 1362
Delta R.T. -0.006 min
Lab File: VW022029.D
Acq: 02 Feb 2022 14:23




Instrument :
MSVOA_W
ClientSampleId :
C0VF2


Tgt Ion: 43 Resp: 3242102
Ion Ratio Lower Upper
43 100
58 41.3 34.4 51.6
100 20.9 17.0 25.4



#42
Toluene
Concen: 1.059 ug/L
RT: 10.384 min Scan# 1391
Delta R.T. 0.000 min
Lab File: VW022029.D
Acq: 02 Feb 2022 14:23

Tgt Ion: 91 Resp: 8205
Ion Ratio Lower Upper
91 100
92 57.3 42.6 79.2









#52
Ethylbenzene
Concen: 1.043 ug/L
RT: 11.725 min Scan# 1611
Delta R.T. -0.006 min
Lab File: VW022029.D
Acq: 02 Feb 2022 14:23




Instrument :
MSVOA_W
ClientSampleId :
C0VF2


Tgt Ion: 91 Resp: 8913
Ion Ratio Lower Upper
91 100
106 35.8 22.8 42.4



#53
m,p-Xylene
Concen: 5.022 ug/L
RT: 11.829 min Scan# 1628
Delta R.T. -0.006 min
Lab File: VW022029.D
Acq: 02 Feb 2022 14:23

Tgt Ion: 106 Resp: 17808
Ion Ratio Lower Upper
106 100
91 191.5 129.6 240.8









#54
o-Xylene
Concen: 2.531 ug/L
RT: 12.164 min Scan# 110
Delta R.T. 0.000 min
Lab File: VW022029.D
Acq: 02 Feb 2022 14:23




Instrument :
MSVOA_W
ClientSampleId :
C0VF2


Tgt Ion:106 Resp: 8397
Ion Ratio Lower Upper
106 100
91 193.7 136.4 253.4



#62
1,3,5-Trimethylbenzene
Concen: 0.339 ug/L
RT: 12.938 min Scan# 1810
Delta R.T. 0.000 min
Lab File: VW022029.D
Acq: 02 Feb 2022 14:23

Tgt Ion:105 Resp: 2020
Ion Ratio Lower Upper
105 100
120 45.3 40.9 61.3





#63
 1,2,4-Trimethylbenzene
 Concen: 0.676 ug/L
 RT: 13.243 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: VW022029.D
 Acq: 02 Feb 2022 14:23

Instrument :
 MSVOA_W
 ClientSampleId :
 C0VF2

Tgt Ion:105 Resp: 4909
 Ion Ratio Lower Upper
 105 100
 120 44.8 37.8 56.8

