

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW020320\
Quantitation Report (Qedit)




Data File : VW014847.D
Acq On : 03 Feb 2020 20:53
Operator : SY/VA
Sample : L1323-14
Misc : 5.06G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampled :
GAT52

Manual Integrations
APPROVED

MMDadoda
2/4/2020 3:39:59 PM

Quant Time: Feb 04 06:58:01 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM020320S.M
Quant Title : VOC Analysis
QLast Update : Tue Feb 04 06:54:20 2020
Response via : Initial Calibration



TIC: VW014847.D

(13) Acetone (T)

4.123min (+0.006) 4.86ug/L

response 5413

Ion	Exp%	Act%
43.00	100	100
58.00	30.10	39.50
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW020320\
Quantitation Report (Qedit)




Data File : VW014847.D
Acq On : 03 Feb 2020 20:53
Operator : SY/VA
Sample : L1323-14
Misc : 5.06G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAT52

Manual Integrations
APPROVED

MMDadoda
2/4/2020 3:39:59 PM

Quant Time: Feb 04 06:58:01 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM020320S.M
Quant Title : VOC Analysis
QLast Update : Tue Feb 04 06:54:20 2020
Response via : Initial Calibration



TIC: VW014847.D

(13) Acetone (T)

4.135min (+0.018) 10.34ug/L m

202/04/2024

response 11519

Ion	Exp%	Act%
43.00	100	100
58.00	30.10	18.56
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW020320\
Quantitation Report (QT Reviewed)

Data File : VW014847.D
Acq On : 03 Feb 2020 20:53
Operator : SY/VA
Sample : L1323-14
Misc : 5.06G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAT52

Manual Integrations
APPROVED

MMDadoda
2/4/2020 3:39:59 PM

Quant Time: Feb 04 08:06:33 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM020320S.M
Quant Title : VOC Analysis
QLast Update : Tue Feb 04 06:54:20 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	175053	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	188291	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	83409	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	44541	16.24	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	64.96%
7) Chloroethane-d5	2.89	69	53176	20.29	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.16%
10) 1,1-Dichloroethene-d2	4.01	63	86469	14.85	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	59.40%
20) 2-Butanone-d5	7.08	46	71154	69.05	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	138.10%#
24) Chloroform-d	7.65	84	133387	23.93	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.72%
26) 1,2-Dichloroethane-d4	8.30	65	88243	28.17	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	112.68%
29) Benzene-d6	8.27	84	265208	19.98	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	79.92%
33) 1,2-Dichloropropane-d6	9.27	67	96066	22.08	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.32%
37) Toluene-d8	10.32	98	220458	19.03	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	76.12%
38) trans-1,3-Dichloropropene-	10.58	79	36836	21.39	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.56%
39) 2-Hexanone-d5	10.93	63	47270	55.51	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	111.02%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	97980	28.91	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	115.64%
61) 1,2-Dichlorobenzene-d4	13.85	152	89800	25.70	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	102.80%

Target Compounds

13) Acetone	4.13	43	11519m	10.336	ug/L	Qvalue
16) Methylene chloride	4.92	84	10684	3.305	ug/L	95
44) Toluene	10.38	91	4779	0.362	ug/L	83

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW020320\
Quantitation Report (QT Reviewed)

Data File : VW014847.D
Acq On : 03 Feb 2020 20:53
Operator : SY/VA
Sample : L1323-14
Misc : 5.06G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAT52

Manual Integrations
APPROVED

MMDadoda
2/4/2020 3:39:59 PM

Quant Time: Feb 04 08:06:33 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM020320S.M
Quant Title : VOC Analysis
QLast Update : Tue Feb 04 06:54:20 2020
Response via : Initial Calibration

