

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW020823\
 Data File : VW025316.D
 Acq On : 08 Feb 2023 14:17
 Operator : SY/MD
 Sample : VIBLK
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK411

Quant Time: Feb 09 00:28:12 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM020323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Feb 07 20:11:22 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	297934	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	259676	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	156096	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.367	65	53649	18.608	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	74.440%		
7) Chloroethane-d5	2.897	69	47460	18.540	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	74.160%		
11) 1,1-Dichloroethene-d2	4.019	63	121072	15.145	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	60.560%		
21) 2-Butanone-d5	7.074	46	37063	49.520	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	99.040%		
24) Chloroform-d	7.647	84	179386	22.972	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	91.880%		
26) 1,2-Dichloroethane-d4	8.305	65	98515	25.899	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	103.600%		
32) Benzene-d6	8.274	84	345366	21.944	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	87.760%		
36) 1,2-Dichloropropane-d6	9.268	67	98714	21.436	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	85.760%		
41) Toluene-d8	10.323	98	310078	22.041	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	88.160%		
43) trans-1,3-Dichloroprop...	10.579	79	42636	24.778	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	99.120%		
47) 2-Hexanone-d5	10.920	63	29012	56.191	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	112.380%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	77347	24.699	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	98.800%		
66) 1,2-Dichlorobenzene-d4	13.847	152	132882	24.536	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	98.160%		
Target Compounds					Qvalue	
34) Trichloroethene	8.841	95	10007	1.988	ug/L #	5


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW020823\
Data File : VW025316.D
Acq On : 08 Feb 2023 14:17
Operator : SY/MD
Sample : VIBLK
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK411

Quant Time: Feb 09 00:28:12 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM020323SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Feb 07 20:11:22 2023
Response via : Initial Calibration





#34
 Trichloroethene
 Concen: 1.988 ug/L
 RT: 8.841 min Scan# 11
 Delta R.T. -0.250 min
 Lab File: VW025316.D
 Acq: 08 Feb 2023 14:17

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK411

Tgt Ion: 95	Resp:	10007
Ion	Ratio	Lower Upper
95	100	
97	0.0	45.4 84.2#
132	0.0	67.1 124.5#
130	0.0	69.2 128.6#

