

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW020921\
 Data File : VW018056.D
 Acq On : 09 Feb 2021 10:46
 Operator : SY/VA
 Sample : VW0209SBL01
 Misc : 5.00G/10ML/MSVOA_W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK03

Quant Time: Feb 10 02:03:25 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM012921S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Feb 10 02:02:56 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	373079	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	342215	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.560	152	180001	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	82410	17.77	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	71.08%		
7) Chloroethane-d5	2.891	69	66165	17.98	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	71.92%		
10) 1,1-Dichloroethene-d2	4.025	63	129277	13.95	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	55.80%		
20) 2-Butanone-d5	7.073	46	60261	48.70	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	97.40%		
24) Chloroform-d	7.646	84	190967	19.51	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	78.04%		
26) 1,2-Dichloroethane-d4	8.305	65	107322	20.58	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	82.32%		
29) Benzene-d6	8.274	84	384983	20.49	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	81.96%		
33) 1,2-Dichloropropane-d6	9.274	67	107901	20.53	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	82.12%		
37) Toluene-d8	10.323	98	364464	20.39	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	81.56%		
38) trans-1,3-Dichloroprop...	10.579	79	50726	21.29	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	85.16%		
39) 2-Hexanone-d5	10.920	63	48694	48.46	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	96.92%		
48) 1,1,2,2-Tetrachloroeth...	12.694	84	104766	22.69	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	90.76%		
61) 1,2-Dichlorobenzene-d4	13.853	152	139321	21.70	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	86.80%		
Target Compounds						
13) Acetone	4.123	43	1086	1.19	ug/L	71
16) Methylene chloride	4.927	84	7693	1.29	ug/L	91
45) trans-1,3-Dichloropropene	10.579	75	2387	0.37	ug/L #	79


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW020921\
Data File : VW018056.D
Acq On : 09 Feb 2021 10:46
Operator : SY/VA
Sample : VW0209SBL01
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK03

Quant Time: Feb 10 02:03:25 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM012921S.M
Quant Title : VOC Analysis
QLast Update : Wed Feb 10 02:02:56 2021
Response via : Initial Calibration









#13
Acetone
Concen: 1.19 ug/L
RT: 4.123 min Scan# 364
Delta R.T. -0.000 min
Lab File: VW018056.D
Acq: 09 Feb 2021 10:46




Instrument :
MSVOA_W
ClientSampled :
VBLK03


Tgt Ion: 43 Resp: 1086
Ion Ratio Lower Upper
43 100
58 17.8 0.0 68.4



#16
Methylene chloride
Concen: 1.29 ug/L
RT: 4.927 min Scan# 496
Delta R.T. 0.012 min
Lab File: VW018056.D
Acq: 09 Feb 2021 10:46

Tgt Ion: 84 Resp: 7693
Ion Ratio Lower Upper
84 100
49 101.5 81.2 150.8
86 63.9 44.5 82.7





#45
 trans-1,3-Dichloropropene
 Concen: 0.37 ug/L
 RT: 10.579 min Scan# 1423
 Delta R.T. -0.025 min
 Lab File: VW018056.D
 Acq: 09 Feb 2021 10:46

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK03

Tgt Ion: 75 Resp: 2387
 Ion Ratio Lower Upper
 75 100
 77 43.9 22.6 42.0#

