

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW021121\
 Data File : VW018093.D
 Acq On : 11 Feb 2021 18:25
 Operator : SY/VA
 Sample : M1371-01RE
 Misc : 6.02G/10ML/MSVOA_W/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBH02RE

Manual Integrations
 APPROVED

MMDadoda
 2/15/2021 7:08:25 AM

Quant Time: Feb 12 02:43:55 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM012921S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Feb 12 02:37:00 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	295268	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	188515	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.560	152	55068	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	77924	21.23	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	84.92%		
7) Chloroethane-d5	2.892	69	67276	23.10	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	92.40%		
10) 1,1-Dichloroethene-d2	4.026	63	109203	14.89	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	59.56%		
20) 2-Butanone-d5	7.074	46	23933	24.44	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	48.88%		
24) Chloroform-d	7.647	84	181206	23.39	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	93.56%		
26) 1,2-Dichloroethane-d4	8.305	65	100051	24.24	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	96.96%		
29) Benzene-d6	8.275	84	333139	32.18	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	128.72%		
33) 1,2-Dichloropropane-d6	9.275	67	99150	34.25	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	137.00%#		
37) Toluene-d8	10.323	98	256110	26.00	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	104.00%		
38) trans-1,3-Dichloroprop...	10.573	79	28106	21.42	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	85.68%		
39) 2-Hexanone-d5	10.921	63	21670	39.15	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	78.30%		
48) 1,1,2,2-Tetrachloroeth...	12.689	84	72149	28.37	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	113.48%		
61) 1,2-Dichlorobenzene-d4	13.853	152	45294	23.06	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	92.24%		
Target Compounds						Qvalue
13) Acetone	4.117	43	1854m	2.56	ug/L	
15) Methyl Acetate	4.672	43	1086m	0.68	ug/L	
16) Methylene chloride	4.922	84	5639	1.19	ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW021121\
Data File : VW018093.D
Acq On : 11 Feb 2021 18:25
Operator : SY/VA
Sample : M1371-01RE
Misc : 6.02G/10ML/MSVOA_W/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DBH02RE

Manual Integrations
APPROVED

MMDadoda
2/15/2021 7:08:25 AM

Quant Time: Feb 12 02:43:55 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM012921S.M
Quant Title : VOC Analysis
QLast Update : Fri Feb 12 02:37:00 2021
Response via : Initial Calibration

