

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW021221\
 Data File : VW018106.D
 Acq On : 12 Feb 2021 13:35
 Operator : SY/VA
 Sample : M1371-20
 Misc : 6.25G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Feb 12 22:44:52 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM012921S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Feb 12 22:41:34 2021
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	448638	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	381205	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.560	152	162074	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	81223	14.57	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	58.28%		
7) Chloroethane-d5	2.892	69	74083	16.74	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	66.96%		
10) 1,1-Dichloroethene-d2	4.019	63	134342	12.05	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	48.20%		
20) 2-Butanone-d5	7.074	46	44370	29.82	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	59.64%		
24) Chloroform-d	7.647	84	228911	19.44	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	77.76%		
26) 1,2-Dichloroethane-d4	8.305	65	120109	19.15	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	76.60%		
29) Benzene-d6	8.275	84	433464	20.71	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	82.84%		
33) 1,2-Dichloropropane-d6	9.275	67	125853	21.50	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	86.00%		
37) Toluene-d8	10.323	98	393240	19.75	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	79.00%		
38) trans-1,3-Dichloroprop...	10.579	79	46494	17.52	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	70.08%		
39) 2-Hexanone-d5	10.927	63	35249	31.49	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	62.98%		
48) 1,1,2,2-Tetrachloroeth...	12.689	84	102874	20.00	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	80.00%		
61) 1,2-Dichlorobenzene-d4	13.853	152	121900	21.08	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	84.32%		
Target Compounds						Qvalue
13) Acetone	4.135	43	2754m	2.50	ug/L	
16) Methylene chloride	4.922	84	8357	1.16	ug/L	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW021221\
Data File : VW018106.D
Acq On : 12 Feb 2021 13:35
Operator : SY/VA
Sample : M1371-20
Misc : 6.25G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Feb 12 22:44:52 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM012921S.M
Quant Title : VOC Analysis
QLast Update : Fri Feb 12 22:41:34 2021
Response via : Initial Calibration



Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW021221\
Data File : VW018106.D
Acq On : 12 Feb 2021 13:35
Operator : SY/VA
Sample : M1371-20
Misc : 6.25G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Feb 12 22:44:52 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM012921S.M
Quant Title : VOC Analysis
QLast Update : Fri Feb 12 22:41:34 2021
Response via : Initial Calibration



TIC: VW018106.D\data.ms

(13) Acetone (T)




4.117min (+ 0.000) 1.07 ug/L

response 1181

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	34.20	70.62#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW021221\
Data File : VW018106.D
Acq On : 12 Feb 2021 13:35
Operator : SY/VA
Sample : M1371-20
Misc : 6.25G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Feb 12 22:44:52 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM012921S.M
Quant Title : VOC Analysis
QLast Update : Fri Feb 12 22:41:34 2021
Response via : Initial Calibration



TIC: VW018106.D\data.ms

(13) Acetone (T)

4.135min (+ 0.018) 2.50 ug/L m

response 2754

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	34.20	30.28
0.00	0.00	0.00
0.00	0.00	0.00