

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW021524\
 Data File : VW028016.D
 Acq On : 15 Feb 2024 13:44
 Operator : SY/MD
 Sample : P1469-07
 Misc : 4.52g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BH9R4

Quant Time: Feb 15 20:53:25 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM020524SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Feb 15 20:52:49 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	468366	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	418751	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	209443	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	94351	17.200	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	68.800%
7) Chloroethane-d5	2.905	69	87377	21.000	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.000%
11) 1,1-Dichloroethene-d2	4.021	65	44462	18.942	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	75.760%
21) 2-Butanone-d5	7.081	46	37879	44.441	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.880%
24) Chloroform-d	7.648	84	232449	21.225	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	84.920%
26) 1,2-Dichloroethane-d4	8.307	65	105486	21.327	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	85.320%
32) Benzene-d6	8.276	84	473365	21.128	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	84.520%
36) 1,2-Dichloropropane-d6	9.270	67	128191	21.103	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	84.400%
41) Toluene-d8	10.325	98	456403	21.291	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	85.160%
43) trans-1,3-Dichloroprop...	10.575	79	52269	20.923	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.680%
47) 2-Hexanone-d5	10.922	63	35510	42.976	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.960%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	96757	21.311	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	85.240%
66) 1,2-Dichlorobenzene-d4	13.848	152	160780	22.585	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	90.360%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW021524\
Data File : VW028016.D
Acq On : 15 Feb 2024 13:44
Operator : SY/MD
Sample : P1469-07
Misc : 4.52g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BH9R4

Quant Time: Feb 15 20:53:25 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM020524SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Feb 15 20:52:49 2024
Response via : Initial Calibration

