

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW021924\
 Data File : VW028041.D
 Acq On : 19 Feb 2024 10:52
 Operator : SY/MD
 Sample : P1469-18
 Misc : 5.03g/10mL/MSVOA_W/SOIL/B
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BH9S1

Quant Time: Feb 20 00:28:54 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM020524SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Feb 20 00:28:09 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	466516	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	357491	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	142156	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.362	65	85876	15.717	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	62.880%
7) Chloroethane-d5	2.899	69	81814	19.741	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.960%
11) 1,1-Dichloroethene-d2	4.021	65	41185	17.616	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	70.480%
21) 2-Butanone-d5	7.069	46	32932	38.790	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	77.580%
24) Chloroform-d	7.642	84	218388	20.021	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	80.080%
26) 1,2-Dichloroethane-d4	8.300	65	101110	20.523	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	82.080%
32) Benzene-d6	8.276	84	432780	22.627	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	90.520%
36) 1,2-Dichloropropane-d6	9.270	67	120760	23.286	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	93.160%
41) Toluene-d8	10.318	98	391112	21.371	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	85.480%
43) trans-1,3-Dichloroprop...	10.574	79	44648	20.935	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.760%
47) 2-Hexanone-d5	10.922	63	29929	42.429	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.860%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	78223	20.181	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	80.720%
66) 1,2-Dichlorobenzene-d4	13.848	152	95906	19.849	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	79.400%
Target Compounds						
16) Methylene chloride	4.917	84	28640	4.912	ug/L	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW021924\
Data File : VW028041.D
Acq On : 19 Feb 2024 10:52
Operator : SY/MD
Sample : P1469-18
Misc : 5.03g/10mL/MSVOA_W/SOIL/B
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BH9S1


Quant Time: Feb 20 00:28:54 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM020524SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Feb 20 00:28:09 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 4.912 ug/L
RT: 4.917 min Scan# 49
Delta R.T. -0.006 min
Lab File: VW028041.D
Acq: 19 Feb 2024 10:52

Instrument :
MSVOA_W
ClientSampleId :
BH9S1



Tgt Ion: 84 Resp: 28640
Ion Ratio Lower Upper
84 100
86 63.2 45.4 84.4
49 93.6 66.3 123.1

