

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW022322\
 Data File : VW022124.D
 Acq On : 23 Feb 2022 21:50
 Operator : SY/VA
 Sample : N1631-14
 Misc : 6.03g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBRJ0

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 02/24/2022
 Supervised By :Mahesh Dadoda 02/28/2022

Quant Time: Feb 24 03:37:13 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM022322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Feb 24 03:35:08 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	163826	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	135417	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	41773	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	40631	19.015	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	76.040%		
7) Chloroethane-d5	2.879	69	34456	20.494	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	81.960%		
11) 1,1-Dichloroethene-d2	4.013	63	46660	14.259	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	57.040%		
21) 2-Butanone-d5	7.074	46	22218	61.842	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	123.680%		
24) Chloroform-d	7.647	84	86737	23.730	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	94.920%		
26) 1,2-Dichloroethane-d4	8.305	65	47314	24.902	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	99.600%		
32) Benzene-d6	8.275	84	156479	24.829	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	99.320%		
36) 1,2-Dichloropropane-d6	9.275	67	47104	26.913	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	107.640%		
41) Toluene-d8	10.323	98	135676	21.654	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	86.600%		
43) trans-1,3-Dichloroprop...	10.579	79	18227	23.488	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	93.960%		
47) 2-Hexanone-d5	10.921	63	18827	65.403	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	130.800%		
56) 1,1,2,2-Tetrachloroeth...	12.689	84	41571	27.064	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	108.240%		
66) 1,2-Dichlorobenzene-d4	13.853	152	32933	24.546	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	98.200%		
Target Compounds					Qvalue	
13) Acetone	4.129	43	2019m	6.881	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW022322\
Data File : VW022124.D
Acq On : 23 Feb 2022 21:50
Operator : SY/VA
Sample : N1631-14
Misc : 6.03g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
DBRJ0

Quant Time: Feb 24 03:37:13 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM022322SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Feb 24 03:35:08 2022
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 02/24/2022
Supervised By :Mahesh Dadoda 02/28/2022





#13
 Acetone
 Concen: 6.881 ug/L m
 RT: 4.129 min Scan# 30
 Delta R.T. 0.012 min
 Lab File: VW022124.D
 Acq: 23 Feb 2022 21:50

Instrument :
 MSVOA_W
 ClientSampleId :
 DBRJ0



Tgt Ion: 43 Resp: 2019
 Ion Ratio Lower Upper
 43 100
 58 22.6 0.0 69.2

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 02/24/2022
 Supervised By :Mahesh Dadoda 02/28/2022

