

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW022619\
 Data File : VW008821.D
 Acq On : 26 Feb 2019 10:38
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 27 06:05:25 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W022119S.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 22 00:38:32 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	95	0.00
2 T	Dichlorodifluoromethane	0.501	0.505	-0.8	99	0.00
3 P	Chloromethane	0.610	0.611	-0.2	97	0.00
4 C	Vinyl Chloride	0.645	0.626	2.9#	95	0.00
5 T	Bromomethane	0.479	0.469	2.1	100	0.00
6 T	Chloroethane	0.458	0.434	5.2	90	0.00
7 T	Trichlorofluoromethane	0.816	0.849	-4.0	105	0.00
8 T	Diethyl Ether	0.258	0.228	11.6	93	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.496	0.513	-3.4	104	0.00
10 T	Methyl Iodide	0.620	0.622	-0.3	89	0.00
11 T	Tert butyl alcohol	0.042	0.031	26.2#	81	0.02
12 CM	1,1-Dichloroethene	0.438	0.446	-1.8#	101	0.00
13 T	Acrolein	0.039	0.042	-7.7	97	0.00
14 T	Allyl chloride	0.756	0.760	-0.5	99	0.00
15 T	Acrylonitrile	0.111	0.099	10.8	89	0.00
16 T	Acetone	0.109	0.116	-6.4	101	0.00
17 T	Carbon Disulfide	1.453	1.488	-2.4	96	0.00
18 T	Methyl Acetate	0.258	0.219	15.1	94	0.00
19 T	Methyl tert-butyl Ether	1.185	1.079	8.9	92	0.00
20 T	Methylene Chloride	0.641	0.515	19.7	92	0.00
21 T	trans-1,2-Dichloroethene	0.506	0.502	0.8	100	0.00
22 T	Diisopropyl ether	1.507	1.483	1.6	97	0.00
23 T	Vinyl Acetate	0.931	0.874	6.1	93	0.00
24 P	1,1-Dichloroethane	0.873	0.885	-1.4	103	0.00
25 T	2-Butanone	0.152	0.145	4.6	93	0.00
26 T	2,2-Dichloropropane	0.793	0.832	-4.9	109	0.00
27 T	cis-1,2-Dichloroethene	0.542	0.536	1.1	101	0.00
28 T	Bromochloromethane	0.365	0.342	6.3	92	0.00
29 T	Tetrahydrofuran	0.097	0.080	17.5	84	0.00
30 C	Chloroform	0.896	0.901	-0.6#	102	0.00
31 T	Cyclohexane	0.884	0.870	1.6	102	0.00
32 T	1,1,1-Trichloroethane	0.815	0.847	-3.9	105	0.00
33 S	1,2-Dichloroethane-d4	0.469	0.475	-1.3	99	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	92	0.00
35 S	Dibromofluoromethane	0.300	0.332	-10.7	103	0.00
36 T	1,1-Dichloropropene	0.487	0.520	-6.8	102	0.00
37 T	Ethyl Acetate	0.226	0.200	11.5	87	0.00
38 T	Carbon Tetrachloride	0.513	0.557	-8.6	105	0.00
39 T	Methylcyclohexane	0.607	0.659	-8.6	101	0.00
40 TM	Benzene	1.329	1.405	-5.7	99	0.00
41 T	Methacrylonitrile	0.133	0.118	11.3	91	0.00
42 TM	1,2-Dichloroethane	0.421	0.416	1.2	96	0.00
43 T	Isopropyl Acetate	0.452	0.402	11.1	87	0.00
44 TM	Trichloroethene	0.374	0.398	-6.4	102	0.00
45 C	1,2-Dichloropropane	0.328	0.338	-3.0#	99	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW022619\
 Data File : VW008821.D
 Acq On : 26 Feb 2019 10:38
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Feb 27 06:05:25 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W022119S.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 22 00:38:32 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.183	0.178	2.7	96	0.00
47 T	Bromodichloromethane	0.444	0.466	-5.0	101	0.00
48 T	Methyl methacrylate	0.216	0.203	6.0	92	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	80	0.01
50 S	Toluene-d8	1.159	1.359	-17.3	104	0.00
51 T	4-Methyl-2-Pentanone	0.229	0.206	10.0	85	0.00
52 CM	Toluene	0.902	0.973	-7.9#	100	0.00
53 T	t-1,3-Dichloropropene	0.453	0.462	-2.0	96	0.00
54 T	cis-1,3-Dichloropropene	0.517	0.545	-5.4	100	0.00
55 T	1,1,2-Trichloroethane	0.248	0.241	2.8	94	0.00
56 T	Ethyl methacrylate	0.322	0.314	2.5	88	0.00
57 T	1,3-Dichloropropane	0.437	0.435	0.5	97	0.00
58 T	2-Chloroethyl Vinyl ether	0.162	0.148	8.6	96	0.00
59 T	2-Hexanone	0.163	0.164	-0.6	91	0.00
60 T	Dibromochloromethane	0.302	0.312	-3.3	98	0.00
61 T	1,2-Dibromoethane	0.245	0.240	2.0	93	0.00
62 S	4-Bromofluorobenzene	0.454	0.503	-10.8	102	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	91	0.00
64 T	Tetrachloroethene	0.358	0.387	-8.1	100	0.00
65 PM	Chlorobenzene	1.051	1.124	-6.9	100	0.00
66 T	1,1,1,2-Tetrachloroethane	0.355	0.367	-3.4	98	0.00
67 C	Ethyl Benzene	1.879	2.058	-9.5#	101	0.00
68 T	m/p-Xylenes	0.751	0.815	-8.5	101	0.00
69 T	o-Xylene	0.705	0.762	-8.1	100	0.00
70 T	Styrene	1.134	1.204	-6.2	98	0.00
71 P	Bromoform	0.191	0.190	0.5	95	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	89	0.00
73 T	Isopropylbenzene	3.428	3.910	-14.1	101	0.00
74 T	N-amyl acetate	0.863	0.800	7.3	82	0.00
75 P	1,1,2,2-Tetrachloroethane	0.560	0.549	2.0	93	0.00
76 T	1,2,3-Trichloropropane	0.413	0.384	7.0	89	0.00
77 T	Bromobenzene	0.810	0.875	-8.0	97	0.00
78 T	n-propylbenzene	4.193	4.767	-13.7	100	0.00
79 T	2-Chlorotoluene	2.381	2.633	-10.6	99	0.00
80 T	1,3,5-Trimethylbenzene	2.979	3.313	-11.2	99	0.00
81 T	trans-1,4-Dichloro-2-butene	0.170	0.175	-2.9	97	0.00
82 T	4-Chlorotoluene	2.509	2.757	-9.9	99	0.00
83 T	tert-Butylbenzene	2.576	2.888	-12.1	100	0.00
84 T	1,2,4-Trimethylbenzene	3.083	3.375	-9.5	97	0.00
85 T	sec-Butylbenzene	3.703	4.180	-12.9	100	0.00
86 T	p-Isopropyltoluene	3.395	3.742	-10.2	98	0.00
87 T	1,3-Dichlorobenzene	1.681	1.818	-8.1	98	0.00
88 T	1,4-Dichlorobenzene	1.656	1.784	-7.7	98	0.00
89 T	n-Butylbenzene	3.181	3.541	-11.3	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW022619\
Data File : VW008821.D
Acq On : 26 Feb 2019 10:38
Operator : SY/VA
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Feb 27 06:05:25 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W022119S.M
Quant Title : SW846 8260
QLast Update : Fri Feb 22 00:38:32 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.556	0.649	-16.7	103	0.00
91 T	1,2-Dichlorobenzene	1.497	1.576	-5.3	97	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.101	0.094	6.9	83	0.00
93 T	1,2,4-Trichlorobenzene	1.079	1.126	-4.4	91	0.00
94 T	Hexachlorobutadiene	0.636	0.726	-14.2	100	0.00
95 T	Naphthalene	1.837	1.787	2.7	84	0.00
96 T	1,2,3-Trichlorobenzene	0.933	0.949	-1.7	88	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6