

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW022719\
 Data File : VW008861.D
 Acq On : 27 Feb 2019 18:09
 Operator : SY/VA
 Sample : K1638-03
 Misc : 5.08G/5ML/MSVOA W/SOIL
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 PE-3(WEST-SITE-WALL)

Quant Time: Feb 28 07:45:28 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W022119S.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 22 00:38:32 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	345095	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	529659	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	468595	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	230232	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.31	65	193516	59.79	ug/l	0.00
Spiked Amount			Recovery	=	119.58%	
35) Dibromofluoromethane	7.88	113	166858	52.47	ug/l	0.00
Spiked Amount			Recovery	=	104.94%	
50) Toluene-d8	10.32	98	631285	51.42	ug/l	0.00
Spiked Amount			Recovery	=	102.84%	
62) 4-Bromofluorobenzene	12.62	95	217753	45.30	ug/l	0.00
Spiked Amount			Recovery	=	90.60%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW022719\
Data File : VW008861.D
Acq On : 27 Feb 2019 18:09
Operator : SY/VA
Sample : K1638-03
Misc : 5.08G/5ML/MSVOA W/SOIL
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
PE-3(WEST-SITE-WALL)

Quant Time: Feb 28 07:45:28 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W022119S.M
Quant Title : SW846 8260
QLast Update : Fri Feb 22 00:38:32 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 991

Delta R.T. -0.01 min

Lab File: VW008861.D

Acq: 27 Feb 2019 18:09

Instrument :

MSVOA_W

ClientSampleId :


PE-3(WEST-SITE-WALL)

Tot Ion:168 Resp: 345095

Ion Ratio Lower Upper

168 100

99 54.1 42.2 63.2



Abundance Ion 167.90 (167.60 to 168.60): VW

Ion 98.90 (98.60 to 99.60): VW

7.95

150000



100000

50000

0

7.80 7.90 8.00 8.10

Time-->



#33

1,2-Dichloroethane-d4

Concen: 59.788 ug/l

RT: 8.31 min Scan# 1050

Delta R.T. 0.00 min

Lab File: VW008861.D


Acq: 27 Feb 2019 18:09

Tgt Ion: 65 Resp: 193516

Ion Ratio Lower Upper

65 100

67 50.5 0.0 101.4



Abundance Ion 64.90 (64.60 to 65.60): VW

Ion 66.90 (66.60 to 67.60): VW

8.31

100000

80000

60000


40000


20000

0

8.20 8.30 8.40

Time-->






#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.84 min Scan# 1138
Delta R.T. 0.00 min
Lab File: VW008861.D
Acq: 27 Feb 2019 18:09

Instrument :
MSVOA_W
ClientSampleId :
PE-3(WEST-SITE-WALL)




Tot Ion	Ratio	Lower	Upper
114	100		
63	20.2	0.0	40.8
88	15.4	0.0	30.4



Abundance Ion 113.90 (113.60 to 114.60): V


Ion 63.00 (62.70 to 63.70): VW

Ion 87.90 (87.60 to 88.60): VW



#35
Dibromofluoromethane
Concen: 52.469 ug/l
RT: 7.88 min Scan# 981
Delta R.T. 0.00 min
Lab File: VW008861.D
Acq: 27 Feb 2019 18:09



Tgt Ion	Ratio	Lower	Upper
113	100		
111	102.5	81.9	122.9
192	22.0	17.1	25.7




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 51.423 ug/l

RT: 10.32 min Scan# 1381

Delta R.T. 0.00 min

Lab File: VW008861.D

Acq: 27 Feb 2019 18:09

Instrument :

MSVOA_W

ClientSampleId :





PE-3(WEST-SITE-WALL)

Tot Ion: 98 Resp: 631285

Ion Ratio Lower Upper

98 100

100 65.8 52.4 78.6



#62

4-Bromofluorobenzene

Concen: 45.302 ug/l

RT: 12.62 min Scan# 1758

Delta R.T. 0.00 min

Lab File: VW008861.D

Acq: 27 Feb 2019 18:09




Tgt Ion: 95 Resp: 217753


Ion Ratio Lower Upper

95 100

174 86.1 0.0 169.2

176 82.5 0.0 163.6





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.63 min Scan# 1596

Delta R.T. 0.00 min

Lab File: VW008861.D

Acq: 27 Feb 2019 18:09

Instrument :

MSVOA_W

ClientSampleId :

PE-3(WEST-SITE-WALL)


Tot Ion:117 Resp: 468595

Ion Ratio Lower Upper

117 100

82 54.2 42.2 63.4




119 33.2 25.9 38.9



Abundance Ion 116.90 (116.60 to 117.60): V

Ion 82.00 (81.70 to 82.70): VW

Ion 118.90 (118.60 to 119.60): V



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.56 min Scan# 1912

Delta R.T. 0.00 min

Lab File: VW008861.D

Acq: 27 Feb 2019 18:09


Tgt Ion:152 Resp: 230232

Ion Ratio Lower Upper

152 100

115 57.6 28.6 85.8

150 155.5 0.0 348.0



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

