

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW022720\
 Data File : VW015065.D
 Acq On : 27 Feb 2020 15:30
 Operator : SY/VA
 Sample : L1677-20
 Misc : 5.49G/10ML/MSVOA W/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0CB7

Quant Time: Feb 28 04:35:56 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM022420S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Feb 28 03:59:49 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	597034	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	524561	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	144662	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	347577	23.27	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	93.08%
7) Chloroethane-d5	2.89	69	255494	23.73	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	94.92%
10) 1,1-Dichloroethene-d2	4.02	63	426822	18.37	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	73.48%
20) 2-Butanone-d5	7.07	46	114198	45.75	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.50%
24) Chloroform-d	7.65	84	499278	25.45	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	101.80%
26) 1,2-Dichloroethane-d4	8.31	65	284777	25.95	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	103.80%
29) Benzene-d6	8.27	84	965979	26.80	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	107.20%
33) 1,2-Dichloropropane-d6	9.27	67	337399	27.96	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	111.84%
37) Toluene-d8	10.32	98	773933	25.74	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	102.96%
38) trans-1,3-Dichloropropene-	10.57	79	103405	23.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	92.72%
39) 2-Hexanone-d5	10.92	63	72019	45.08	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	90.16%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	192289	24.66	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	98.64%
61) 1,2-Dichlorobenzene-d4	13.85	152	158176	29.84	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	119.36%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW022720\
Data File : VW015065.D
Acq On : 27 Feb 2020 15:30
Operator : SY/VA
Sample : L1677-20
Misc : 5.49G/10ML/MSVOA W/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0CB7

Quant Time: Feb 28 04:35:56 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM022420S.M
Quant Title : VOC Analysis
QLast Update : Fri Feb 28 03:59:49 2020
Response via : Initial Calibration

