

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW022824\
 Data File : VW028074.D
 Acq On : 28 Feb 2024 12:39
 Operator : SY/MD
 Sample : VW0228SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK438

Quant Time: Feb 28 23:29:52 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM020524SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Feb 28 23:27:15 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	240188	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	227046	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	111879	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	42859	15.235	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	60.960%
7) Chloroethane-d5	2.899	69	42608	19.969	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.880%
11) 1,1-Dichloroethene-d2	4.027	65	20478	17.013	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.040%
21) 2-Butanone-d5	7.075	46	28435	65.053	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	130.100%
24) Chloroform-d	7.648	84	126710	22.562	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.240%
26) 1,2-Dichloroethane-d4	8.307	65	64217	25.317	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.280%
32) Benzene-d6	8.270	84	239214	19.692	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	78.760%
36) 1,2-Dichloropropane-d6	9.270	67	68775	20.881	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	83.520%
41) Toluene-d8	10.318	98	229622	19.756	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	79.040%
43) trans-1,3-Dichloroprop...	10.575	79	28945	21.370	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.480%
47) 2-Hexanone-d5	10.922	63	27041	60.359	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	120.720%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	65298	26.525	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	106.120%
66) 1,2-Dichlorobenzene-d4	13.848	152	87649	23.049	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.200%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW022824\
Data File : VW028074.D
Acq On : 28 Feb 2024 12:39
Operator : SY/MD
Sample : VW0228SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK438

Quant Time: Feb 28 23:29:52 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM020524SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Feb 28 23:27:15 2024
Response via : Initial Calibration

