

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW030219\
 Data File : VW008949.D
 Acq On : 02 Mar 2019 05:06
 Operator : SY/VA
 Sample : K1675-15RE
 Misc : 4.70G/5ML/MSVOA W/SOIL
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 Z-3-2-BRE

Quant Time: Mar 02 05:45:41 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W022119S.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 22 00:38:32 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	306572	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	476571	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	425422	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	195402	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.30	65	176572	61.41	ug/l	0.00
Spiked Amount 50.000			Recovery	=	122.82%	
35) Dibromofluoromethane	7.88	113	151476	52.94	ug/l	0.00
Spiked Amount 50.000			Recovery	=	105.88%	
50) Toluene-d8	10.32	98	564123	51.07	ug/l	0.00
Spiked Amount 50.000			Recovery	=	102.14%	
62) 4-Bromofluorobenzene	12.62	95	187690	43.40	ug/l	0.00
Spiked Amount 50.000			Recovery	=	86.80%	
Target Compounds						
16) Acetone	4.13	43	22084	33.135	ug/l	93
20) Methylene Chloride	4.92	84	38586	7.399	ug/l	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW030219\
Data File : VW008949.D
Acq On : 02 Mar 2019 05:06
Operator : SY/VA
Sample : K1675-15RE
Misc : 4.70G/5ML/MSVOA W/SOIL
ALS Vial : 42 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
Z-3-2-BRE

Quant Time: Mar 02 05:45:41 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W022119S.M
Quant Title : SW846 8260
QLast Update : Fri Feb 22 00:38:32 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 992

Delta R.T. -0.00 min

Lab File: VW008949.D

Acq: 02 Mar 2019 05:06

Instrument :

MSVOA_W

ClientSampleId :


Z-3-2-BRE

Tot Ion:168 Resp: 306572

Ion Ratio Lower Upper

168 100

99 52.8 42.2 63.2



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.95



150000

100000

50000

0

Time-->



#16

Acetone

Concen: 33.135 ug/l

RT: 4.13 min Scan# 366

Delta R.T. 0.01 min

Lab File: VW008949.D


Acq: 02 Mar 2019 05:06

Tgt Ion: 43 Resp: 22084

Ion Ratio Lower Upper

43 100

58 26.1 23.8 35.6



Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 58.00 (57.70 to 58.70): VW

4.13

10000

8000


6000


4000

2000

0

Time-->









#20
Methvlene Chloride
Concen: 7.399 ug/l
RT: 4.92 min Scan# 494
Delta R.T. 0.00 min
Lab File: VW008949.D
Acq: 02 Mar 2019 05:06




Instrument :
MSVOA_W
ClientSampled :
Z-3-2-BRE


Tot Ion: 84 Resp: 38586
Ion Ratio Lower Upper
84 100
49 129.5 108.2 162.2
51 39.1 32.7 49.1
86 66.2 50.3 75.5



#33
1,2-Dichloroethane-d4
Concen: 61.408 ug/l
RT: 8.30 min Scan# 1050
Delta R.T. -0.00 min
Lab File: VW008949.D
Acq: 02 Mar 2019 05:06

Tgt Ion: 65 Resp: 176572
Ion Ratio Lower Upper
65 100
67 50.9 0.0 101.4









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.84 min Scan# 1138
Delta R.T. -0.00 min
Lab File: VW008949.D
Acq: 02 Mar 2019 05:06




Instrument :
MSVOA_W
ClientSampleId :
Z-3-2-BRE


Tot Ion:114 Resp: 476571
Ion Ratio Lower Upper
114 100
63 21.1 0.0 40.8
88 15.2 0.0 30.4



#35
Dibromofluoromethane
Concen: 52.938 ug/l
RT: 7.88 min Scan# 981
Delta R.T. -0.00 min
Lab File: VW008949.D
Acq: 02 Mar 2019 05:06

Tgt Ion:113 Resp: 151476
Ion Ratio Lower Upper
113 100
111 102.8 81.9 122.9
192 22.2 17.1 25.7





#50

Toluene-d8

Concen: 51.071 ug/l

RT: 10.32 min Scan# 1381

Delta R.T. -0.00 min

Lab File: VW008949.D

Acq: 02 Mar 2019 05:06

Instrument :

MSVOA_W

ClientSampleId :





Z-3-2-BRE

Tot Ion: 98 Resp: 564123

Ion Ratio Lower Upper

98 100

100 66.2 52.4 78.6



#62

4-Bromofluorobenzene

Concen: 43.398 ug/l

RT: 12.62 min Scan# 1758

Delta R.T. -0.00 min

Lab File: VW008949.D

Acq: 02 Mar 2019 05:06




Tgt Ion: 95 Resp: 187690


Ion Ratio Lower Upper

95 100

174 88.2 0.0 169.2

176 83.6 0.0 163.6





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.63 min Scan# 1596

Delta R.T. -0.00 min

Lab File: VW008949.D

Acq: 02 Mar 2019 05:06

Instrument :

MSVOA_W

ClientSampleId :

Z-3-2-BRE


Tot Ion:117 Resp: 425422

Ion Ratio Lower Upper

117 100

82 54.5 42.2 63.4




119 32.1 25.9 38.9



Abundance Ion 116.90 (116.60 to 117.60): V

Ion 82.00 (81.70 to 82.70): V

Ion 118.90 (118.60 to 119.60): V



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.56 min Scan# 1912

Delta R.T. -0.00 min

Lab File: VW008949.D

Acq: 02 Mar 2019 05:06


Tgt Ion:152 Resp: 195402

Ion Ratio Lower Upper

152 100

115 56.3 28.6 85.8

150 154.1 0.0 348.0



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

