

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW030519\
 Data File : VW008988.D
 Acq On : 05 Mar 2019 10:28
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 06 07:12:13 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W022119S.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 22 00:38:32 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	81	0.00
2 T	Dichlorodifluoromethane	0.501	0.465	7.2	79	0.00
3 P	Chloromethane	0.610	0.554	9.2	75	0.00
4 C	Vinyl Chloride	0.645	0.561	13.0#	73	0.00
5 T	Bromomethane	0.479	0.438	8.6	80	0.00
6 T	Chloroethane	0.458	0.388	15.3	69	0.00
7 T	Trichlorofluoromethane	0.816	0.771	5.5	82	0.00
8 T	Diethyl Ether	0.258	0.199	22.9#	70	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.496	0.467	5.8	81	0.00
10 T	Methyl Iodide	0.620	0.426	31.3#	52	0.00
11 T	Tert butyl alcohol	0.042	0.027	35.7#	59	0.00
12 CM	1,1-Dichloroethene	0.438	0.408	6.8#	79	0.00
13 T	Acrolein	0.039	0.035	10.3	70	0.00
14 T	Allyl chloride	0.756	0.694	8.2	78	0.00
15 T	Acrylonitrile	0.111	0.087	21.6#	68	0.00
16 T	Acetone	0.109	0.104	4.6	77	0.00
17 T	Carbon Disulfide	1.453	1.302	10.4	72	0.00
18 T	Methyl Acetate	0.258	0.206	20.2#	76	0.00
19 T	Methyl tert-butyl Ether	1.185	0.949	19.9	70	0.00
20 T	Methylene Chloride	0.641	0.479	25.3#	73	0.00
21 T	trans-1,2-Dichloroethene	0.506	0.460	9.1	78	0.00
22 T	Diisopropyl ether	1.507	1.367	9.3	76	0.00
23 T	Vinyl Acetate	0.931	0.779	16.3	71	0.00
24 P	1,1-Dichloroethane	0.873	0.806	7.7	80	0.00
25 T	2-Butanone	0.152	0.127	16.4	70	0.00
26 T	2,2-Dichloropropane	0.793	0.765	3.5	86	0.00
27 T	cis-1,2-Dichloroethene	0.542	0.485	10.5	78	0.00
28 T	Bromochloromethane	0.365	0.328	10.1	76	0.00
29 T	Tetrahydrofuran	0.097	0.071	26.8#	64	0.00
30 C	Chloroform	0.896	0.826	7.8#	80	0.00
31 T	Cyclohexane	0.884	0.807	8.7	81	0.00
32 T	1,1,1-Trichloroethane	0.815	0.787	3.4	83	0.00
33 S	1,2-Dichloroethane-d4	0.469	0.436	7.0	78	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	77	0.00
35 S	Dibromofluoromethane	0.300	0.300	0.0	78	0.00
36 T	1,1-Dichloropropene	0.487	0.499	-2.5	82	0.00
37 T	Ethyl Acetate	0.226	0.189	16.4	69	0.00
38 T	Carbon Tetrachloride	0.513	0.523	-1.9	83	0.00
39 T	Methylcyclohexane	0.607	0.617	-1.6	79	0.00
40 TM	Benzene	1.329	1.341	-0.9	79	0.00
41 T	Methacrylonitrile	0.133	0.121	9.0	78	-0.01
42 TM	1,2-Dichloroethane	0.421	0.384	8.8	74	0.00
43 T	Isopropyl Acetate	0.452	0.366	19.0	67	0.00
44 TM	Trichloroethene	0.374	0.370	1.1	79	0.00
45 C	1,2-Dichloropropane	0.328	0.328	0.0	81	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW030519\
 Data File : VW008988.D
 Acq On : 05 Mar 2019 10:28
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 06 07:12:13 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W022119S.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 22 00:38:32 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.183	0.165	9.8	74	0.00
47 T	Bromodichloromethane	0.444	0.437	1.6	80	0.00
48 T	Methyl methacrylate	0.216	0.180	16.7	68	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	65	0.00
50 S	Toluene-d8	1.159	1.287	-11.0	83	0.00
51 T	4-Methyl-2-Pentanone	0.229	0.190	17.0	66	0.00
52 CM	Toluene	0.902	0.930	-3.1#	80	0.00
53 T	t-1,3-Dichloropropene	0.453	0.429	5.3	75	0.00
54 T	cis-1,3-Dichloropropene	0.517	0.508	1.7	78	0.00
55 T	1,1,2-Trichloroethane	0.248	0.223	10.1	73	0.00
56 T	Ethyl methacrylate	0.322	0.278	13.7	65	0.00
57 T	1,3-Dichloropropane	0.437	0.397	9.2	74	0.00
58 T	2-Chloroethyl Vinyl ether	0.162	0.150	7.4	82	0.00
59 T	2-Hexanone	0.163	0.151	7.4	71	0.00
60 T	Dibromochloromethane	0.302	0.286	5.3	75	0.00
61 T	1,2-Dibromoethane	0.245	0.220	10.2	72	0.00
62 S	4-Bromofluorobenzene	0.454	0.485	-6.8	82	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	76	0.00
64 T	Tetrachloroethene	0.358	0.358	0.0	78	0.00
65 PM	Chlorobenzene	1.051	1.048	0.3	78	0.00
66 T	1,1,1,2-Tetrachloroethane	0.355	0.344	3.1	77	0.00
67 C	Ethyl Benzene	1.879	1.961	-4.4#	81	0.00
68 T	m/p-Xylenes	0.751	0.779	-3.7	81	0.00
69 T	o-Xylene	0.705	0.712	-1.0	78	0.00
70 T	Styrene	1.134	1.148	-1.2	78	0.00
71 P	Bromoform	0.191	0.172	9.9	72	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	77	0.00
73 T	Isopropylbenzene	3.428	3.673	-7.1	81	0.00
74 T	N-amyl acetate	0.863	0.744	13.8	66	0.00
75 P	1,1,2,2-Tetrachloroethane	0.560	0.497	11.3	73	0.00
76 T	1,2,3-Trichloropropane	0.413	0.358	13.3	72	0.00
77 T	Bromobenzene	0.810	0.802	1.0	77	0.00
78 T	n-propylbenzene	4.193	4.508	-7.5	82	0.00
79 T	2-Chlorotoluene	2.381	2.497	-4.9	81	0.00
80 T	1,3,5-Trimethylbenzene	2.979	3.170	-6.4	81	0.00
81 T	trans-1,4-Dichloro-2-butene	0.170	0.148	12.9	71	0.00
82 T	4-Chlorotoluene	2.509	2.607	-3.9	81	0.00
83 T	tert-Butylbenzene	2.576	2.681	-4.1	80	0.00
84 T	1,2,4-Trimethylbenzene	3.083	3.182	-3.2	79	0.00
85 T	sec-Butylbenzene	3.703	4.032	-8.9	83	0.00
86 T	p-Isopropyltoluene	3.395	3.578	-5.4	81	0.00
87 T	1,3-Dichlorobenzene	1.681	1.686	-0.3	79	0.00
88 T	1,4-Dichlorobenzene	1.656	1.660	-0.2	78	0.00
89 T	n-Butylbenzene	3.181	3.482	-9.5	83	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW030519\
Data File : VW008988.D
Acq On : 05 Mar 2019 10:28
Operator : SY/VA
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Mar 06 07:12:13 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W022119S.M
Quant Title : SW846 8260
QLast Update : Fri Feb 22 00:38:32 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.556	0.605	-8.8	83	0.00
91 T	1,2-Dichlorobenzene	1.497	1.467	2.0	77	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.101	0.087	13.9	66	0.00
93 T	1,2,4-Trichlorobenzene	1.079	1.052	2.5	73	0.00
94 T	Hexachlorobutadiene	0.636	0.692	-8.8	82	0.00
95 T	Naphthalene	1.837	1.608	12.5	65	0.00
96 T	1,2,3-Trichlorobenzene	0.933	0.895	4.1	72	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5