

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW031220\
 Data File : VW015116.D
 Acq On : 12 Mar 2020 11:27
 Operator : SY/VA
 Sample : VW0312SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK13

Quant Time: Mar 13 02:19:50 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM022420S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 13 02:12:14 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	683909	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	621540	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	226174	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	263695	15.41	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	61.64%
7) Chloroethane-d5	2.89	69	223045	18.09	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	72.36%
10) 1,1-Dichloroethene-d2	4.01	63	411438	15.45	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.80%
20) 2-Butanone-d5	7.07	46	139171	48.67	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.34%
24) Chloroform-d	7.65	84	494291	22.00	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	88.00%
26) 1,2-Dichloroethane-d4	8.31	65	293202	23.32	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.28%
29) Benzene-d6	8.27	84	984614	23.05	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.20%
33) 1,2-Dichloropropane-d6	9.27	67	332678	23.27	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	93.08%
37) Toluene-d8	10.32	98	825436	23.17	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.68%
38) trans-1,3-Dichloropropene-	10.58	79	118626	22.45	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	89.80%
39) 2-Hexanone-d5	10.92	63	91257	48.20	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.40%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	214442	23.21	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.84%
61) 1,2-Dichlorobenzene-d4	13.85	152	209294	25.26	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	101.04%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW031220\
Data File : VW015116.D
Acq On : 12 Mar 2020 11:27
Operator : SY/VA
Sample : VW0312SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK13

Quant Time: Mar 13 02:19:50 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM022420S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 13 02:12:14 2020
Response via : Initial Calibration

