

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW031324\
 Data File : VW028163.D
 Acq On : 13 Mar 2024 13:13
 Operator : SY/MD
 Sample : P1742-02
 Misc : 5.11g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E0722

Quant Time: Mar 14 01:30:20 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM022924SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Mar 14 01:29:29 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	425210	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	386866	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	179901	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	93641	18.449	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	73.800%
7) Chloroethane-d5	2.899	69	55867	14.208	ug/L	-0.01
Spiked Amount	25.000	Range	30 - 150	Recovery	=	56.840%
11) 1,1-Dichloroethene-d2	4.021	65	46199	22.283	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	89.120%
21) 2-Butanone-d5	7.075	46	30421	42.014	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.020%
24) Chloroform-d	7.648	84	180401	20.031	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	80.120%
26) 1,2-Dichloroethane-d4	8.301	65	88042	21.005	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	84.040%
32) Benzene-d6	8.270	84	377951	20.928	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	83.720%
36) 1,2-Dichloropropane-d6	9.270	67	95311	20.426	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	81.720%
41) Toluene-d8	10.319	98	366816	21.553	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	86.200%
43) trans-1,3-Dichloroprop...	10.575	79	40765	19.936	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	79.760%
47) 2-Hexanone-d5	10.922	63	29252	44.507	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.020%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	78547	21.329	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	85.320%
66) 1,2-Dichlorobenzene-d4	13.848	152	116355	21.748	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	87.000%
Target Compounds						Qvalue
46) Tetrachloroethene	10.861	164	43044	8.387	ug/L	84


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW031324\
Data File : VW028163.D
Acq On : 13 Mar 2024 13:13
Operator : SY/MD
Sample : P1742-02
Misc : 5.11g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E0722


Quant Time: Mar 14 01:30:20 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM022924SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Mar 14 01:29:29 2024
Response via : Initial Calibration





#46
Tetrachloroethene
Concen: 8.387 ug/L
RT: 10.861 min Scan# 14
Delta R.T. 0.000 min
Lab File: VW028163.D
Acq: 13 Mar 2024 13:13

Instrument :
MSVOA_W
ClientSampleId :
E0722



Tgt Ion:164 Resp: 43044
Ion Ratio Lower Upper
164 100
129 103.3 65.2 121.0
131 106.2 66.2 123.0
166 144.7 82.8 153.8

