

Data File : VW009188.D
Acq On : 14 Mar 2019 23:37
Operator : SY/VA
Sample : VIBLK61
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Mar 15 08:02:00 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 15 06:53:55 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	426843	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	421510	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	198934	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	132548	25.99	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	103.96%
7) Chloroethane-d5	2.89	69	130039	21.79	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.16%
10) 1,1-Dichloroethene-d2	4.02	63	200766	18.21	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	72.84%
20) 2-Butanone-d5	7.08	46	102324	48.51	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.02%
24) Chloroform-d	7.64	84	277104	23.79	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.16%
26) 1,2-Dichloroethane-d4	8.31	65	172940m	24.65	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	98.60%
29) Benzene-d6	8.27	84	532760	22.92	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	91.68%
33) 1,2-Dichloropropane-d6	9.27	67	164767	23.60	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.40%
37) Toluene-d8	10.32	98	495667	23.06	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.24%
38) trans-1,3-Dichloropropene-	10.57	79	78413	22.36	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	89.44%
39) 2-Hexanone-d5	10.93	63	78408	46.37	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.74%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	160863	23.39	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.56%
61) 1,2-Dichlorobenzene-d4	13.86	152	192319	25.21	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.84%

Target Compounds					Qvalue
16) Methylene chloride	4.92	84	9904m	1.591	ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VW009188.D
Acq On : 14 Mar 2019 23:37
Operator : SY/VA
Sample : VIBLK61
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Mar 15 08:02:00 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 15 06:53:55 2019
Response via : Initial Calibration

