


Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW031419\
Data File : VW009184.D Quantitation Report (QT/LSC Reviewed)
Acq On : 14 Mar 2019 21:53
Operator : SY/VA
Sample : K1794-17
Misc : 3.32G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
Client Sampled :
BF5P4RE

Quant Time: Mar 15 07:40:19 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 15 06:53:55 2019
Response via : Initial Calibration

Manual Integrations
APPROVED

MMDadoda
3/15/2019 12:30:30 PM



SOM2WLM031419S.M Fri Mar 15 08:22:51 2019

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW031419\
Quantitation Report (Qedit)




Data File : VW009184.D
Acq On : 14 Mar 2019 21:53
Operator : SY/VA
Sample : K1794-17
Misc : 3.32G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF5P4RE

Quant Time: Mar 15 06:57:55 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 15 06:53:55 2019
Response via : Initial Calibration

Manual Integrations
APPROVED

MMDadoda
3/15/2019 12:30:30 PM



TIC: VW009184.D

(13) Acetone (T)

4.111min (-0.006) 5.12ug/L

response 7116

Ion	Exp%	Act%
43.00	100	100
58.00	28.10	50.39
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW031419\
Quantitation Report (Qedit)




Data File : VW009184.D
Acq On : 14 Mar 2019 21:53
Operator : SY/VA
Sample : K1794-17
Misc : 3.32G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
Client Sampled :
BF5P4RE

Quant Time: Mar 15 06:57:55 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 15 06:53:55 2019
Response via : Initial Calibration

Manual Integrations
APPROVED

MMDadoda
3/15/2019 12:30:30 PM



(13) Acetone (T)

4.111min (-0.006) 8.06ug/L m

response 11206

Ion	Exp%	Act%
43.00	100	100
58.00	28.10	32.00
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW031419\
Quantitation Report (QT/LSC Reviewed)

Data File : VW009184.D
Acq On : 14 Mar 2019 21:53
Operator : SY/VA
Sample : K1794-17
Misc : 3.32G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
Client Sampled :
BF5P4RE

Quant Time: Mar 15 07:40:19 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 15 06:53:55 2019
Response via : Initial Calibration

Manual Integrations
APPROVED

MMDadoda
3/15/2019 12:30:30 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	343260	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	301197	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	102911	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	115544	28.17	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	112.68%
7) Chloroethane-d5	2.89	69	109853	22.89	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.56%
10) 1,1-Dichloroethene-d2	4.01	63	172415	19.45	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	77.80%
20) 2-Butanone-d5	7.07	46	70233	41.40	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	82.80%
24) Chloroform-d	7.65	84	223695	23.88	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.52%
26) 1,2-Dichloroethane-d4	8.31	65	141610	25.09	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.36%
29) Benzene-d6	8.27	84	436623	26.29	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	105.16%
33) 1,2-Dichloropropane-d6	9.27	67	131256	26.31	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	105.24%
37) Toluene-d8	10.32	98	372031	24.22	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.88%
38) trans-1,3-Dichloropropene-	10.58	79	51763	20.66	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	82.64%
39) 2-Hexanone-d5	10.93	63	50453	41.75	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.50%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	112865	22.97	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	91.88%
61) 1,2-Dichlorobenzene-d4	13.86	152	93142	23.60	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.40%

Target Compounds

13) Acetone	4.11	43	11206m	8.055	ug/L	Qvalue
16) Methylene chloride	4.92	84	18330	3.662	ug/L	03/15/19 89

(#) = qualifier out of range (m) = manual integration (+) = signals summed