

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW031419\
 Data File : VW009184.D
 Acq On : 14 Mar 2019 21:53
 Operator : SY/VA
 Sample : K1794-17RE
 Misc : 3.32G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF5P4RE

Manual Integrations
 APPROVED

MMDadoda
 3/15/2019 12:30:30 PM

Quant Time: Mar 15 07:40:19 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 15 06:53:55 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	343260	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	301197	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	102911	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	115544	28.17	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	112.68%
7) Chloroethane-d5	2.89	69	109853	22.89	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.56%
10) 1,1-Dichloroethene-d2	4.01	63	172415	19.45	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	77.80%
20) 2-Butanone-d5	7.07	46	70233	41.40	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	82.80%
24) Chloroform-d	7.65	84	223695	23.88	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.52%
26) 1,2-Dichloroethane-d4	8.31	65	141610	25.09	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.36%
29) Benzene-d6	8.27	84	436623	26.29	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	105.16%
33) 1,2-Dichloropropane-d6	9.27	67	131256	26.31	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	105.24%
37) Toluene-d8	10.32	98	372031	24.22	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.88%
38) trans-1,3-Dichloropropene-	10.58	79	51763	20.66	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	82.64%
39) 2-Hexanone-d5	10.93	63	50453	41.75	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.50%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	112865	22.97	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	91.88%
61) 1,2-Dichlorobenzene-d4	13.86	152	93142	23.60	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.40%

Target Compounds					Ovalue
13) Acetone	4.11	43	11206m	8.055 ug/L	
16) Methylene chloride	4.92	84	18330	3.662 ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW031419\
Data File : VW009184.D
Acq On : 14 Mar 2019 21:53
Operator : SY/VA
Sample : K1794-17RE
Misc : 3.32G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BF5P4RE

Manual Integrations
APPROVED

MMDadoda
3/15/2019 12:30:30 PM

Quant Time: Mar 15 07:40:19 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 15 06:53:55 2019
Response via : Initial Calibration





#13

Acetone

Concen: 8.055 ug/L m

RT: 4.11 min Scan# 362

Delta R.T. -0.01 min

Lab File: VW009184.D

Acq: 14 Mar 2019 21:53

Tot Ion: 43 Resp: 11206

Ion Ratio Lower Upper

43 100

58 32.0 0.0 56.2

Instrument :

MSVOA_W

ClientSampleId :





BF5P4RE

Manual Integrations

APPROVED

MMDadoda

3/15/2019 12:30:30 PM



#16

Methylene chloride

Concen: 3.662 ug/L

RT: 4.92 min Scan# 494

Delta R.T. 0.01 min

Lab File: VW009184.D

Acq: 14 Mar 2019 21:53

Tgt Ion: 84 Resp: 18330

Ion Ratio Lower Upper

84 100

49 152.6 96.0 178.2

86 67.1 44.4 82.5

