

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW031422\
 Data File : VW022317.D
 Acq On : 14 Mar 2022 13:59
 Operator : SY/VA
 Sample : N1820-03
 Misc : 7.84g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBRZ5

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 03/15/2022
 Supervised By :Mahesh Dadoda 03/15/2022

Quant Time: Mar 15 01:05:27 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM022322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Mar 15 01:03:29 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	136555	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	132733	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	65438	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	43210	24.260	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	97.040%
7) Chloroethane-d5	2.879	69	29756	21.233	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.920%
11) 1,1-Dichloroethene-d2	4.013	63	40679	14.914	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	59.640%
21) 2-Butanone-d5	7.080	46	19151	63.951	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	127.900%
24) Chloroform-d	7.647	84	72869	23.917	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.680%
26) 1,2-Dichloroethane-d4	8.305	65	41331	26.097	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	104.400%
32) Benzene-d6	8.275	84	134819	21.825	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	87.280%
36) 1,2-Dichloropropane-d6	9.274	67	40767	23.764	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.040%
41) Toluene-d8	10.323	98	125428	20.423	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	81.680%
43) trans-1,3-Dichloroprop...	10.579	79	17676	23.238	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	92.960%
47) 2-Hexanone-d5	10.920	63	15562	55.154	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	110.300%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	41302	27.433	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	109.720%
66) 1,2-Dichlorobenzene-d4	13.853	152	54510	25.935	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.720%
Target Compounds					Qvalue	
13) Acetone	4.129	43	1562m	6.386	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW031422\
Data File : VW022317.D
Acq On : 14 Mar 2022 13:59
Operator : SY/VA
Sample : N1820-03
Misc : 7.84g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
DBRZ5

Quant Time: Mar 15 01:05:27 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM022322SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Mar 15 01:03:29 2022
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 03/15/2022
Supervised By :Mahesh Dadoda 03/15/2022





#13
Acetone
Concen: 6.386 ug/L m
RT: 4.129 min Scan# 30
Delta R.T. -0.006 min
Lab File: VW022317.D
Acq: 14 Mar 2022 13:59

Instrument :
MSVOA_W
ClientSampleId :
DBRZ5



Tgt Ion: 43 Resp: 1562
Ion Ratio Lower Upper
43 100
58 17.4 0.0 69.2

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 03/15/2022
Supervised By :Mahesh Dadoda 03/15/2022

