

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW031519\
 Data File : VW009196.D
 Acq On : 15 Mar 2019 13:45
 Operator : SY/VA
 Sample : VW0315SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK02

Quant Time: Mar 15 23:31:52 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 15 23:26:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	460266	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	443452	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	211213	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	139396	25.34	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	101.36%
7) Chloroethane-d5	2.89	69	134115	20.84	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.36%
10) 1,1-Dichloroethene-d2	4.01	63	211439	17.79	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	71.16%
20) 2-Butanone-d5	7.07	46	111697	49.11	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.22%
24) Chloroform-d	7.64	84	288868	23.00	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.00%
26) 1,2-Dichloroethane-d4	8.30	65	182284	24.09	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	96.36%
29) Benzene-d6	8.27	84	565850	23.14	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.56%
33) 1,2-Dichloropropane-d6	9.27	67	168487	22.94	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	91.76%
37) Toluene-d8	10.32	98	523386	23.15	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.60%
38) trans-1,3-Dichloropropene-	10.57	79	81775	22.17	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.68%
39) 2-Hexanone-d5	10.92	63	85876	48.27	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.54%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	166361	23.00	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.00%
61) 1,2-Dichlorobenzene-d4	13.86	152	199612	24.65	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.60%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	11232	1.673 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW031519\
Data File : VW009196.D
Acq On : 15 Mar 2019 13:45
Operator : SY/VA
Sample : VW0315SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK02

Quant Time: Mar 15 23:31:52 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 15 23:26:07 2019
Response via : Initial Calibration





#16
 Methylene chloride
 Concen: 1.673 ug/L
 RT: 4.92 min Scan# 494
 Delta R.T. 0.00 min
 Lab File: VW009196.D
 Acq: 15 Mar 2019 13:45

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK02

Tot Ion: 84 Resp: 11232
 Ion Ratio Lower Upper
 84 100
 49 134.7 96.0 178.2
 86 49.5 44.4 82.5

