

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW031519\
 Data File : VW009199.D
 Acq On : 15 Mar 2019 15:26
 Operator : SY/VA
 Sample : K1885-19
 Misc : 5.19G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Manual Integrations
 APPROVED

MMDadoda
 3/16/2019 2:56:15 PM

Quant Time: Mar 15 23:44:52 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 15 23:26:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	434068	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	417108	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	200092	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	154003	29.69	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	118.76%
7) Chloroethane-d5	2.89	69	145866	24.03	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	96.12%
10) 1,1-Dichloroethene-d2	4.02	63	224820	20.05	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	80.20%
20) 2-Butanone-d5	7.07	46	105556	49.21	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.42%
24) Chloroform-d	7.64	84	297129	25.08	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	100.32%
26) 1,2-Dichloroethane-d4	8.31	65	183488m	25.71	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.84%
29) Benzene-d6	8.27	84	574298	24.97	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	99.88%
33) 1,2-Dichloropropane-d6	9.27	67	172206	24.92	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	99.68%
37) Toluene-d8	10.32	98	530785	24.96	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	99.84%
38) trans-1,3-Dichloropropene-	10.58	79	82277	23.71	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	94.84%
39) 2-Hexanone-d5	10.93	63	80898	48.35	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.70%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	164961	24.24	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.96%
61) 1,2-Dichlorobenzene-d4	13.86	152	200687	26.16	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	104.64%

Target Compounds				Ovalue
16) Methylene chloride	4.92	84	11685m	1.846 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW031519\
Data File : VW009199.D
Acq On : 15 Mar 2019 15:26
Operator : SY/VA
Sample : K1885-19
Misc : 5.19G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Manual Integrations
APPROVED

MMDadoda
3/16/2019 2:56:15 PM

Quant Time: Mar 15 23:44:52 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 15 23:26:07 2019
Response via : Initial Calibration





#16
Methvlene chloride
Concen: 1.846 ug/L m
RT: 4.92 min Scan# 495
Delta R.T. 0.01 min
Lab File: VW009199.D
Acq: 15 Mar 2019 15:26

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Tot Ion	Ratio	Lower	Upper
84	100		
49	141.7	96.0	178.2
86	56.1	44.4	82.5

Manual Integrations
APPROVED

MMDadoda
3/16/2019 2:56:15 PM

