




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW031521\
Data File : VW018340.D
Acq On : 15 Mar 2021 15:42
Operator : SY/VA
Sample : M1610-14
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Mar 16 01:17:25 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM030821S.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 16 01:16:18 2021
Response via : Initial Calibration



TIC: VW018340.D\data.ms

(16) Methylene chloride (T)




4.922min (+ 0.006) 2.99 ug/L

response 11045

Ion	Exp%	Act%
84.00	100.00	100.00
49.00	106.30	103.76
86.00	65.90	65.16
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW031521\
Data File : VW018340.D
Acq On : 15 Mar 2021 15:42
Operator : SY/VA
Sample : M1610-14
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Mar 16 01:17:25 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM030821S.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 16 01:16:18 2021
Response via : Initial Calibration



TIC: VW018340.D\data.ms

(16) Methylene chloride (T)

4.922min (+ 0.006) 3.11 ug/L m

response 11457

Ion	Exp%	Act%
84.00	100.00	100.00
49.00	106.30	103.76
86.00	65.90	65.16
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW031521\
 Data File : VW018340.D
 Acq On : 15 Mar 2021 15:42
 Operator : SY/VA
 Sample : M1610-14
 Misc : 5.00G/10ML/MSVOA_W/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Quant Time: Mar 16 01:17:25 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM030821S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 16 01:16:18 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.848	114	241694	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	224648	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.560	152	106520	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	65780	25.13	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 100.52%			
7) Chloroethane-d5	2.891	69	53703	25.27	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 101.08%			
10) 1,1-Dichloroethene-d2	4.025	63	116376	19.14	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery = 76.56%			
20) 2-Butanone-d5	7.074	46	32900	52.87	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 105.74%			
24) Chloroform-d	7.653	84	173316	26.47	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery = 105.88%			
26) 1,2-Dichloroethane-d4	8.305	65	96090	26.66	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery = 106.64%			
29) Benzene-d6	8.275	84	310800	25.99	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery = 103.96%			
33) 1,2-Dichloropropane-d6	9.274	67	87102	26.28	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery = 105.12%			
37) Toluene-d8	10.323	98	300073	26.00	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery = 104.00%			
38) trans-1,3-Dichloroprop...	10.579	79	40771	24.82	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery = 99.28%			
39) 2-Hexanone-d5	10.927	63	28436	51.58	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 103.16%			
48) 1,1,2,2-Tetrachloroeth...	12.688	84	72771	25.68	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery = 102.72%			
61) 1,2-Dichlorobenzene-d4	13.853	152	103855	26.82	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery = 107.28%			
Target Compounds						
16) Methylene chloride	4.922	84	11457m	3.11	ug/L	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW031521\
Data File : VW018340.D
Acq On : 15 Mar 2021 15:42
Operator : SY/VA
Sample : M1610-14
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Mar 16 01:17:25 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM030821S.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 16 01:16:18 2021
Response via : Initial Calibration

