

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW031819\
 Data File : VW009226.D
 Acq On : 18 Mar 2019 13:24
 Operator : SY/VA
 Sample : K1949-07
 Misc : 5.78G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF0Y8

Quant Time: Mar 19 01:33:55 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Mon Mar 18 11:10:57 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	362810	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	333463	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	138911	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	119410	27.54	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	110.16%
7) Chloroethane-d5	2.90	69	108857	21.46	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.84%
10) 1,1-Dichloroethene-d2	4.02	63	177821	18.98	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	75.92%
20) 2-Butanone-d5	7.07	46	74625	41.62	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.24%
24) Chloroform-d	7.64	84	238342	24.07	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.28%
26) 1,2-Dichloroethane-d4	8.31	65	141833	23.78	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.12%
29) Benzene-d6	8.27	84	450822	24.51	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	98.04%
33) 1,2-Dichloropropane-d6	9.27	67	138430	25.06	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	100.24%
37) Toluene-d8	10.32	98	396224	23.30	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.20%
38) trans-1,3-Dichloropropene-	10.58	79	60434	21.79	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.16%
39) 2-Hexanone-d5	10.93	63	55137	41.22	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	82.44%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	118694	21.82	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	87.28%
61) 1,2-Dichlorobenzene-d4	13.86	152	131608	24.71	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.84%

Target Compounds					Ovalue
22) cis-1,2-Dichloroethene	7.16	96	131336	25.811 ug/L	99
35) Trichloroethene	9.09	95	79525	16.352 ug/L	98
47) Tetrachloroethene	10.86	164	257671	62.704 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW031819\
Data File : VW009226.D
Acq On : 18 Mar 2019 13:24
Operator : SY/VA
Sample : K1949-07
Misc : 5.78G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF0Y8

Quant Time: Mar 19 01:33:55 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Mon Mar 18 11:10:57 2019
Response via : Initial Calibration

