

Data File : VW009300.D
Acq On : 20 Mar 2019 22:15
Operator : SY/VA
Sample : K1986-19
Misc : 4.96G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF127

Quant Time: Mar 21 12:23:17 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Thu Mar 21 12:20:05 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	420223	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	408133	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	191248	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	123946	24.68	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	98.72%
7) Chloroethane-d5	2.89	69	118547	20.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.72%
10) 1,1-Dichloroethene-d2	4.01	63	193204	17.80	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	71.20%
20) 2-Butanone-d5	7.07	46	83526	40.22	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.44%
24) Chloroform-d	7.65	84	273443	23.84	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.36%
26) 1,2-Dichloroethane-d4	8.31	65	160431	23.22	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	92.88%
29) Benzene-d6	8.27	84	514479	22.86	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	91.44%
33) 1,2-Dichloropropane-d6	9.27	67	159777	23.63	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.52%
37) Toluene-d8	10.32	98	460908	22.15	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.60%
38) trans-1,3-Dichloropropene-	10.58	79	68823	20.27	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.08%
39) 2-Hexanone-d5	10.93	63	62021	37.88	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	75.76%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	140535	21.11	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	84.44%
61) 1,2-Dichlorobenzene-d4	13.86	152	180514	24.62	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.48%


Target Compounds						Qvalue
47) Tetrachloroethene	10.86	164	12469	2.479	ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VW009300.D
Acq On : 20 Mar 2019 22:15
Operator : SY/VA
Sample : K1986-19
Misc : 4.96G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF127

Quant Time: Mar 21 12:23:17 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Thu Mar 21 12:20:05 2019
Response via : Initial Calibration





#47

Tetrachloroethene

Concen: 2.479 ug/L

RT: 10.86 min Scan# 1469

Delta R.T. -0.00 min

Lab File: VW009300.D


Acq: 20 Mar 2019 22:15

Instrument :

MSVOA_W

ClientSampleId :

BF127



Tgt Ion:164 Resp: 12469

Ion Ratio Lower Upper

164 100

129 94.1 66.5 123.5

131 77.9 62.6 116.3

166 122.7 91.6 170.0

Abundance Ion 164.00 (163.70 to 164.70): V

Ion 129.00 (128.70 to 129.70): V

Ion 131.00 (130.70 to 131.70): V

Ion 166.00 (165.70 to 166.70): V

