

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW032019\
 Data File : VW009288.D
 Acq On : 20 Mar 2019 15:36
 Operator : SY/VA
 Sample : K1986-10
 Misc : 5.65G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF118

Quant Time: Mar 31 05:21:58 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Mar 21 10:17:44 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	389356	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	364597	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	166516	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	119604	25.71	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	102.84%
7) Chloroethane-d5	2.89	69	109699	20.15	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.60%
10) 1,1-Dichloroethene-d2	4.01	63	182688	18.17	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	72.68%
20) 2-Butanone-d5	7.07	46	84369	43.85	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.70%
24) Chloroform-d	7.65	84	243199	22.89	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.56%
26) 1,2-Dichloroethane-d4	8.30	65	143602	22.43	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	89.72%
29) Benzene-d6	8.27	84	464901	23.12	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.48%
33) 1,2-Dichloropropane-d6	9.27	67	138372	22.91	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	91.64%
37) Toluene-d8	10.32	98	419100	22.54	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.16%
38) trans-1,3-Dichloropropene-	10.57	79	56283	18.56	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	74.24%
39) 2-Hexanone-d5	10.93	63	62702	42.87	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.74%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	128313	21.57	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	86.28%
61) 1,2-Dichlorobenzene-d4	13.86	152	151020	23.65	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.60%

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	11266	1.984 ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW032019\
Data File : VW009288.D
Acq On : 20 Mar 2019 15:36
Operator : SY/VA
Sample : K1986-10
Misc : 5.65G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF118

Quant Time: Mar 31 05:21:58 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Thu Mar 21 10:17:44 2019
Response via : Initial Calibration

