

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032019\
 Data File : VW009303.D
 Acq On : 20 Mar 2019 23:36
 Operator : SY/VA
 Sample : K1988-04
 Misc : 5.84G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF0B4

Quant Time: Mar 22 08:51:32 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Mar 21 12:20:05 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	406524	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	382881	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	178887	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	116366	23.95	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	95.80%
7) Chloroethane-d5	2.90	69	110608	19.46	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.84%
10) 1,1-Dichloroethene-d2	4.01	63	178834	17.03	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.12%
20) 2-Butanone-d5	7.07	46	72582	36.13	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	72.26%
24) Chloroform-d	7.65	84	260751	23.50	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.00%
26) 1,2-Dichloroethane-d4	8.30	65	149387	22.35	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	89.40%
29) Benzene-d6	8.27	84	488890	23.15	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.60%
33) 1,2-Dichloropropane-d6	9.27	67	150670	23.76	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.04%
37) Toluene-d8	10.32	98	432990	22.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.72%
38) trans-1,3-Dichloropropene-	10.58	79	62684	19.68	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	78.72%
39) 2-Hexanone-d5	10.93	63	53076	34.55	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	69.10%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	125423	20.08	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	80.32%
61) 1,2-Dichlorobenzene-d4	13.86	152	165564	24.14	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	96.56%

Target Compounds					Ovalue
22) cis-1,2-Dichloroethene	7.16	96	252871	44.351 ug/L	96
35) Trichloroethene	9.09	95	214096	38.340 ug/L	99
47) Tetrachloroethene	10.87	164	3714	0.787 ug/L #	80

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW032019\
Data File : VW009303.D
Acq On : 20 Mar 2019 23:36
Operator : SY/VA
Sample : K1988-04
Misc : 5.84G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF0B4

Quant Time: Mar 22 08:51:32 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Thu Mar 21 12:20:05 2019
Response via : Initial Calibration

