

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW032219\
 Data File : VW009363.D
 Acq On : 23 Mar 2019 00:16
 Operator : SY/VA
 Sample : K2031-03
 Misc : 5.09G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF5S3

Quant Time: Mar 23 01:37:24 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 23 01:25:26 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	392693	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	357299	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	143361	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	96213	20.50	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.00%
7) Chloroethane-d5	2.89	69	105845	19.28	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.12%
10) 1,1-Dichloroethene-d2	4.01	63	149850	14.77	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	59.08%
20) 2-Butanone-d5	7.07	46	99248	51.14	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	102.28%
24) Chloroform-d	7.64	84	237100	22.12	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	88.48%
26) 1,2-Dichloroethane-d4	8.31	65	150411	23.30	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.20%
29) Benzene-d6	8.27	84	433575	22.00	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.00%
33) 1,2-Dichloropropane-d6	9.27	67	140040	23.66	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.64%
37) Toluene-d8	10.32	98	366322	20.11	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	80.44%
38) trans-1,3-Dichloropropene-	10.58	79	55607	18.71	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	74.84%
39) 2-Hexanone-d5	10.93	63	68891	48.06	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.12%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	138013	23.68	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.72%
61) 1,2-Dichlorobenzene-d4	13.86	152	123765	22.51	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	90.04%

Target Compounds


					Qvalue
13) Acetone	4.12	43	59764	37.552	ug/L 100
14) Carbon disulfide	4.37	76	5192	0.399	ug/L # 87
16) Methylene chloride	4.92	84	15643	2.732	ug/L 82
21) 2-Butanone	7.17	43	22298	10.147	ug/L 95
45) trans-1,3-Dichloropropene	10.58	75	3237	0.455	ug/L # 71
59) 1,2,3-Trichloropropane	13.55	75	18543	4.626	ug/L 88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW032219\
Data File : VW009363.D
Acq On : 23 Mar 2019 00:16
Operator : SY/VA
Sample : K2031-03
Misc : 5.09G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF5S3

Quant Time: Mar 23 01:37:24 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 23 01:25:26 2019
Response via : Initial Calibration





#13

Acetone

Concen: 37.552 ug/L

RT: 4.12 min Scan# 363

Delta R.T. -0.01 min

Lab File: VW009363.D

Acq: 23 Mar 2019 00:16

Instrument :

MSVOA_W

ClientSampleId :


BF5S3

Tgt Ion: 43 Resp: 59764

Ion Ratio Lower Upper

43 100

58 28.2 0.0 56.2



Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 58.00 (57.70 to 58.70): VW

25000

20000

15000



10000

5000

0

4.00 4.05 4.10 4.15 4.20

Time-->



#14

Carbon disulfide

Concen: 0.399 ug/L

RT: 4.37 min Scan# 405

Delta R.T. -0.00 min

Lab File: VW009363.D


Acq: 23 Mar 2019 00:16

Tgt Ion: 76 Resp: 5192

Ion Ratio Lower Upper

76 100

78 13.7 7.3 10.9#



Abundance Ion 76.00 (75.70 to 76.70): VW

Ion 78.00 (77.70 to 78.70): VW

2000

1500


1000


500

0

4.30 4.35 4.40 4.45

Time-->









#16
Methylene chloride
Concen: 2.732 ug/L
RT: 4.92 min Scan# 495
Delta R.T. 0.01 min
Lab File: VW009363.D
Acq: 23 Mar 2019 00:16




Instrument :
MSVOA_W
ClientSampleId :
BF5S3


Tgt Ion: 84 Resp: 15643
Ion Ratio Lower Upper
84 100
49 117.7 96.0 178.2
86 46.5 44.4 82.5



#21
2-Butanone
Concen: 10.147 ug/L
RT: 7.17 min Scan# 864
Delta R.T. -0.01 min
Lab File: VW009363.D
Acq: 23 Mar 2019 00:16

Tgt Ion: 43 Resp: 22298
Ion Ratio Lower Upper
43 100
72 23.3 13.1 39.1





#45

trans-1,3-Dichloropropene

Concen: 0.455 ug/L

RT: 10.58 min Scan# 1423

Delta R.T. -0.02 min

Lab File: VW009363.D

Acq: 23 Mar 2019 00:16

Instrument :

MSVOA_W

ClientSampled :





BF5S3

Tgt Ion: 75 Resp: 3237

Ion Ratio Lower Upper

75 100

77 48.2 22.5 41.7#



#59

1,2,3-Trichloropropane

Concen: 4.626 ug/L

RT: 13.55 min Scan# 1911

Delta R.T. 0.78 min

Lab File: VW009363.D

Acq: 23 Mar 2019 00:16

Tgt Ion: 75 Resp: 18543

Ion Ratio Lower Upper

75 100

77 39.2 26.2 39.2

