

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032219\
 Data File : VW009346.D
 Acq On : 22 Mar 2019 14:10
 Operator : SY/VA
 Sample : K2017-16
 Misc : 5.22G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF0E2

Manual Integrations
 APPROVED

MMDadoda
 3/25/2019 8:29:31 AM

Quant Time: Mar 23 00:47:00 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 23 00:14:14 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	340581	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	331242	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	150883	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	95796	23.54	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	94.16%
7) Chloroethane-d5	2.89	69	94767	19.90	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.60%
10) 1,1-Dichloroethene-d2	4.01	63	149851	17.04	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.16%
20) 2-Butanone-d5	7.07	46	109518	65.07	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	130.14%
24) Chloroform-d	7.65	84	213621	22.98	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.92%
26) 1,2-Dichloroethane-d4	8.31	65	136149m	24.32	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	97.28%
29) Benzene-d6	8.27	84	393141	21.52	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.08%
33) 1,2-Dichloropropane-d6	9.27	67	121607	22.16	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.64%
37) Toluene-d8	10.32	98	342272	20.26	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	81.04%
38) trans-1,3-Dichloropropene-	10.58	79	56174	20.39	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.56%
39) 2-Hexanone-d5	10.93	63	80427	60.52	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	121.04%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	146893	27.18	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	108.72%
61) 1,2-Dichlorobenzene-d4	13.86	152	139112	24.04	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	96.16%

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	9897m	1.993	ug/L
22) cis-1,2-Dichloroethene	7.17	96	8312	1.740	ug/L
35) Trichloroethene	9.09	95	4173	0.864	ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW032219\
Data File : VW009346.D
Acq On : 22 Mar 2019 14:10
Operator : SY/VA
Sample : K2017-16
Misc : 5.22G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF0E2

Manual Integrations
APPROVED

MMDadoda
3/25/2019 8:29:31 AM

Quant Time: Mar 23 00:47:00 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 23 00:14:14 2019
Response via : Initial Calibration

