

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW032219\
 Data File : VW009350.D
 Acq On : 22 Mar 2019 15:59
 Operator : SY/VA
 Sample : K2017-12
 Misc : 5.62G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 Client Sampled :
 BF0D8

Manual Integrations
 APPROVED

MMDadoda
 3/25/2019 8:29:33 AM

Quant Time: Mar 23 00:18:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 23 00:14:14 2019
 Response via : Initial Calibration



TIC: VW009350.D

(16) Methylene chloride (T)

4.921min (+0.006) 3.32ug/L

response 19167

Ion	Exp%	Act%
84.00	100	100
49.00	137.10	116.47
86.00	63.50	54.61
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW032219\
 Data File : VW009350.D
 Acq On : 22 Mar 2019 15:59
 Operator : SY/VA
 Sample : K2017-12
 Misc : 5.62G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 Client Sampled :
 BF0D8

Manual Integrations
 APPROVED

MMDadoda
 3/25/2019 8:29:33 AM

Quant Time: Mar 23 00:18:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 23 00:14:14 2019
 Response via : Initial Calibration



TIC: VW009350.D

(16) Methylene chloride (T)

4.921min (+0.006) 3.51ug/L m) 03/24/19 53

response 20284

Ion	Exp%	Act%
84.00	100	100
49.00	137.10	116.47
86.00	63.50	54.61
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW032219\
 Data File : VW009350.D
 Acq On : 22 Mar 2019 15:59
 Operator : SY/VA
 Sample : K2017-12
 Misc : 5.62G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 Client Sampled :
 BF0D8

Quant Time: Mar 23 00:57:53 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 23 00:14:14 2019
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 3/25/2019 8:29:33 AM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	396358	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	354532	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	125551	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	113891	24.05	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	96.20%
7) Chloroethane-d5	2.90	69	115429	20.83	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.32%
10) 1,1-Dichloroethene-d2	4.01	63	176104	17.20	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.80%
20) 2-Butanone-d5	7.07	46	66803	34.10	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	68.20%
24) Chloroform-d	7.64	84	257164	23.77	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.08%
26) 1,2-Dichloroethane-d4	8.30	65	149566	22.95	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	91.80%
29) Benzene-d6	8.27	84	471184	24.10	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	96.40%
33) 1,2-Dichloropropane-d6	9.27	67	149229	25.41	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	101.64%
37) Toluene-d8	10.32	98	404873	22.40	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	89.60%
38) trans-1,3-Dichloropropene-	10.58	79	59551	20.19	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	80.76%
39) 2-Hexanone-d5	10.93	63	50712	35.65	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	71.30%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	118243	20.44	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	81.76%
61) 1,2-Dichlorobenzene-d4	13.86	152	113865	23.65	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.60%

Target Compounds

16) Methylene chloride	4.92	84	20284m)	3.509	ug/L	Qvalue 20/24/19 54
35) Trichloroethene	9.09	95	4562	0.882	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW032219\
Data File : VW009350.D
Acq On : 22 Mar 2019 15:59
Operator : SY/VA
Sample : K2017-12
Misc : 5.62G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
Client Sample ID :
BF0D8

Quant Time: Mar 23 00:57:53 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 23 00:14:14 2019
Response via : Initial Calibration

Manual Integrations
APPROVED

MM Dadoda
3/25/2019 8:29:33 AM

