

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032219\
 Data File : VW009379.D
 Acq On : 23 Mar 2019 07:33
 Operator : SY/VA
 Sample : VIBLK13
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK13

Quant Time: Mar 23 21:38:52 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 23 01:25:26 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	370926	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	366077	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	157959	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	84290	19.02	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.08%
7) Chloroethane-d5	2.89	69	92891	17.91	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	71.64%
10) 1,1-Dichloroethene-d2	4.02	63	141334	14.75	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	59.00%
20) 2-Butanone-d5	7.07	46	104643	57.08	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	114.16%
24) Chloroform-d	7.65	84	233504	23.07	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.28%
26) 1,2-Dichloroethane-d4	8.31	65	151074	24.77	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	99.08%
29) Benzene-d6	8.27	84	411429	20.38	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	81.52%
33) 1,2-Dichloropropane-d6	9.27	67	136571	22.52	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	90.08%
37) Toluene-d8	10.32	98	364828	19.54	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	78.16%
38) trans-1,3-Dichloropropene-	10.57	79	59102	19.41	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	77.64%
39) 2-Hexanone-d5	10.93	63	72172	49.14	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.28%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	149397	25.02	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	100.08%
61) 1,2-Dichlorobenzene-d4	13.86	152	149278	24.65	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.60%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	14350	2.653 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW032219\
Data File : VW009379.D
Acq On : 23 Mar 2019 07:33
Operator : SY/VA
Sample : VIBLK13
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK13

Quant Time: Mar 23 21:38:52 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 23 01:25:26 2019
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 2.653 ug/L
 RT: 4.92 min Scan# 494
 Delta R.T. 0.01 min
 Lab File: VW009379.D
 Acq: 23 Mar 2019 07:33

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK13

Tot Ion: 84 Resp: 14350
 Ion Ratio Lower Upper
 84 100
 49 123.1 96.0 178.2
 86 69.6 44.4 82.5

