

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032221\
 Data File : VW018413.D
 Acq On : 22 Mar 2021 10:48
 Operator : SY/VA
 Sample : VW0322SBL01
 Misc : 5.00G/10ML/MSVOA_W/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK99

Quant Time: Mar 23 01:15:46 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 23 01:15:18 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	544479	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	482357	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.560	152	230456	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	181449	23.95	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	95.80%
7) Chloroethane-d5	2.891	69	158276	23.86	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	95.44%
10) 1,1-Dichloroethene-d2	4.019	63	232354	17.76	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	71.04%
20) 2-Butanone-d5	7.074	46	73115	43.34	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	86.68%
24) Chloroform-d	7.647	84	315866	22.78	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.12%
26) 1,2-Dichloroethane-d4	8.305	65	189397	23.40	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.60%
29) Benzene-d6	8.275	84	629530	24.55	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	98.20%
33) 1,2-Dichloropropane-d6	9.268	67	179437	24.26	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.04%
37) Toluene-d8	10.323	98	609072	24.67	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	98.68%
38) trans-1,3-Dichloroprop...	10.579	79	86900	22.78	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	91.12%
39) 2-Hexanone-d5	10.920	63	62679	43.30	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	86.60%
48) 1,1,2,2-Tetrachloroeth...	12.688	84	145773	22.03	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.12%
61) 1,2-Dichlorobenzene-d4	13.853	152	198776	24.26	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.04%
Target Compounds						
16) Methylene chloride	4.909	84	15341	1.72	ug/L	Qvalue 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032221\
Data File : VW018413.D
Acq On : 22 Mar 2021 10:48
Operator : SY/VA
Sample : VW0322SBL01
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK99

Quant Time: Mar 23 01:15:46 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 23 01:15:18 2021
Response via : Initial Calibration





#16
Methylene chloride
Concen: 1.72 ug/L
RT: 4.909 min Scan# 493
Delta R.T. -0.006 min
Lab File: VW018413.D
Acq: 22 Mar 2021 10:48

Instrument :
MSVOA_W
ClientSampleId :
VBLK99

Tgt Ion: 84 Resp: 15341

Ion	Ratio	Lower	Upper
84	100		
49	113.2	74.4	138.2
86	68.0	46.1	85.7

