

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032421\
 Data File : VW018442.D
 Acq On : 24 Mar 2021 15:05
 Operator : SY/VA
 Sample : M1781-18
 Misc : 5.40G/10ML/MSVOA_W/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG4S3

Quant Time: Mar 25 01:25:37 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Mar 25 01:23:35 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	508851	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	447915	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.554	152	206285	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	172277	24.33	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	97.32%		
7) Chloroethane-d5	2.891	69	159739	25.77	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	103.08%		
10) 1,1-Dichloroethene-d2	4.019	63	207547	16.98	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	67.92%		
20) 2-Butanone-d5	7.074	46	68976	43.75	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	87.50%		
24) Chloroform-d	7.647	84	292886	22.60	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	90.40%		
26) 1,2-Dichloroethane-d4	8.305	65	169407	22.39	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	89.56%		
29) Benzene-d6	8.275	84	566367	23.79	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	95.16%		
33) 1,2-Dichloropropane-d6	9.274	67	161300	23.48	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	93.92%		
37) Toluene-d8	10.323	98	524027	22.86	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	91.44%		
38) trans-1,3-Dichloroprop...	10.579	79	71980	20.32	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	81.28%		
39) 2-Hexanone-d5	10.920	63	55829	41.53	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	83.06%		
48) 1,1,2,2-Tetrachloroeth...	12.695	84	134468	21.89	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	87.56%		
61) 1,2-Dichlorobenzene-d4	13.853	152	168193	22.93	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	91.72%		
Target Compounds						Qvalue
13) Acetone	4.117	43	7211	6.37	ug/L	77
16) Methylene chloride	4.922	84	10290	1.23	ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032421\
Data File : VW018442.D
Acq On : 24 Mar 2021 15:05
Operator : SY/VA
Sample : M1781-18
Misc : 5.40G/10ML/MSVOA_W/SOIL
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BG4S3

Quant Time: Mar 25 01:25:37 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
Quant Title : VOC Analysis
QLast Update : Thu Mar 25 01:23:35 2021
Response via : Initial Calibration









#13
Acetone
Concen: 6.37 ug/L
RT: 4.117 min Scan# 363
Delta R.T. -0.000 min
Lab File: VW018442.D
Acq: 24 Mar 2021 15:05

Instrument :
MSVOA_W
ClientSampled :
BG4S3

Tgt Ion: 43 Resp: 7211
Ion Ratio Lower Upper
43 100
58 18.2 0.0 62.2



#16
Methylene chloride
Concen: 1.23 ug/L
RT: 4.922 min Scan# 495
Delta R.T. 0.012 min
Lab File: VW018442.D
Acq: 24 Mar 2021 15:05

Tgt Ion: 84 Resp: 10290
Ion Ratio Lower Upper
84 100
49 118.4 74.4 138.2
86 61.1 46.1 85.7

