

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032519\
 Data File : VW009423.D
 Acq On : 25 Mar 2019 12:56
 Operator : SY/VA
 Sample : K1988-09
 Misc : 5.22G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Mar 26 08:38:25 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 26 07:46:05 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	197522	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	187114	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	77486	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	92043	38.99	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	155.96%#
7) Chloroethane-d5	2.89	69	96578	34.97	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	139.88%
10) 1,1-Dichloroethene-d2	4.01	63	152413	29.88	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	119.52%#
20) 2-Butanone-d5	7.08	46	74165	75.98	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	151.96%#
24) Chloroform-d	7.64	84	239356	44.40	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	177.60%#
26) 1,2-Dichloroethane-d4	8.31	65	139871	43.07	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	172.28%#
29) Benzene-d6	8.27	84	427120	41.39	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	165.56%#
33) 1,2-Dichloropropane-d6	9.27	67	134187	43.29	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	173.16%#
37) Toluene-d8	10.32	98	365130	38.27	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	153.08%#
38) trans-1,3-Dichloropropene-	10.58	79	57598	37.00	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	148.00%#
39) 2-Hexanone-d5	10.93	63	52837	70.39	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	140.78%#
48) 1,1,2,2-Tetrachloroethane-	12.69	84	120472	39.47	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	157.88%#
61) 1,2-Dichlorobenzene-d4	13.86	152	130864	44.04	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	176.16%#

Target Compounds

					Ovalue
13) Acetone	4.12	43	17569	21.947 ug/L	96
14) Carbon disulfide	4.38	76	5191m	0.793 ug/L	
16) Methylene chloride	4.92	84	21335m	7.407 ug/L	
18) trans-1,2-Dichloroethene	5.42	96	2964m	1.159 ug/L	
22) cis-1,2-Dichloroethene	7.17	96	248977	89.875 ug/L	98
35) Trichloroethene	9.09	95	20820	7.629 ug/L	96
47) Tetrachloroethene	10.86	164	4227	1.833 ug/L	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW032519\
Data File : VW009423.D
Acq On : 25 Mar 2019 12:56
Operator : SY/VA
Sample : K1988-09
Misc : 5.22G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Mar 26 08:38:25 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 26 07:46:05 2019
Response via : Initial Calibration

