

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032519\
 Data File : VW009442.D
 Acq On : 25 Mar 2019 22:07
 Operator : SY/VA
 Sample : K2044-08
 Misc : 6.23G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF5T8

Manual Integrations
 APPROVED

MMDadoda
 3/27/2019 12:14:56 PM

Quant Time: Mar 26 10:02:44 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 26 09:00:24 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	382537	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	360164	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	143210	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	89515	19.58	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.32%
7) Chloroethane-d5	2.89	69	102186	19.10	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.40%
10) 1,1-Dichloroethene-d2	4.01	63	149222	15.10	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	60.40%
20) 2-Butanone-d5	7.07	46	97773	51.72	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	103.44%
24) Chloroform-d	7.65	84	244491	23.42	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.68%
26) 1,2-Dichloroethane-d4	8.30	65	156570m	24.90	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	99.60%
29) Benzene-d6	8.27	84	420366	21.16	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	84.64%
33) 1,2-Dichloropropane-d6	9.27	67	141107	23.65	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.60%
37) Toluene-d8	10.32	98	358140	19.50	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	78.00%
38) trans-1,3-Dichloropropene-	10.58	79	58555	19.54	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	78.16%
39) 2-Hexanone-d5	10.93	63	68923	47.70	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.40%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	142877	24.32	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	97.28%
61) 1,2-Dichlorobenzene-d4	13.85	152	130227	23.71	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.84%

Target Compounds

					Ovalue
13) Acetone	4.12	43	9462	6.103 ug/L	99
14) Carbon disulfide	4.38	76	17341	1.368 ug/L	99
16) Methylene chloride	4.91	84	9648	1.730 ug/L	89
47) Tetrachloroethene	10.87	164	1323	0.298 ug/L #	76

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW032519\
Data File : VW009442.D
Acq On : 25 Mar 2019 22:07
Operator : SY/VA
Sample : K2044-08
Misc : 6.23G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BF5T8

Manual Integrations
APPROVED

MMDadoda
3/27/2019 12:14:56 PM

Quant Time: Mar 26 10:02:44 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 26 09:00:24 2019
Response via : Initial Calibration









#13
Acetone
Concen: 6.103 ug/L
RT: 4.12 min Scan# 363
Delta R.T. -0.01 min
Lab File: VW009442.D
Acq: 25 Mar 2019 22:07

Instrument :
MSVOA_W
ClientSampleId :
BF5T8

Tot Ion	Ratio	Lower	Upper
43	100		
58	28.7	0.0	56.2




Manual Integrations
APPROVED


MMDadoda
3/27/2019 12:14:56 PM



#14
Carbon disulfide
Concen: 1.368 ug/L
RT: 4.38 min Scan# 406
Delta R.T. 0.01 min
Lab File: VW009442.D
Acq: 25 Mar 2019 22:07

Tgt Ion	Ratio	Lower	Upper
76	100		
78	9.6	7.3	10.9









#16
Methvlene chloride
Concen: 1.730 ug/L
RT: 4.91 min Scan# 493
Delta R.T. -0.01 min
Lab File: VW009442.D
Acq: 25 Mar 2019 22:07

Instrument :
MSVOA_W
ClientSampleId :
BF5T8

Tot Ion	Ratio	Lower	Upper
84	100		
49	119.9	96.0	178.2
86	66.5	44.4	82.5

Manual Integrations
APPROVED

MMDadoda
3/27/2019 12:14:56 PM



#47
Tetrachloroethene
Concen: 0.298 ug/L
RT: 10.87 min Scan# 1470
Delta R.T. 0.01 min
Lab File: VW009442.D
Acq: 25 Mar 2019 22:07

Tgt Ion	Ratio	Lower	Upper
164	100		
129	78.3	66.5	123.5
131	81.4	62.6	116.3
166	85.2	91.6	170.0#

