

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032519\
 Data File : VW009448.D
 Acq On : 26 Mar 2019 00:51
 Operator : SY/VA
 Sample : K2044-16
 Misc : 5.87G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF5W7

Manual Integrations
 APPROVED

MMDadoda
 3/27/2019 12:15:17 PM

Quant Time: Mar 26 10:20:58 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 26 09:00:24 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	315782	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	329792	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	152966	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	67697	17.94	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	71.76%
7) Chloroethane-d5	2.89	69	79468	18.00	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	72.00%
10) 1,1-Dichloroethene-d2	4.01	63	115418	14.15	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	56.60%
20) 2-Butanone-d5	7.07	46	107105	68.63	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	137.26%#
24) Chloroform-d	7.64	84	215764	25.04	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	100.16%
26) 1,2-Dichloroethane-d4	8.31	65	150583m	29.01	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	116.04%
29) Benzene-d6	8.27	84	367011	20.18	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	80.72%
33) 1,2-Dichloropropane-d6	9.27	67	127020	23.25	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	93.00%
37) Toluene-d8	10.32	98	317287	18.87	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	75.48%
38) trans-1,3-Dichloropropene-	10.58	79	57826	21.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.32%
39) 2-Hexanone-d5	10.93	63	75471	57.04	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	114.08%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	149975	27.88	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	111.52%
61) 1,2-Dichlorobenzene-d4	13.86	152	143927	24.54	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.16%

Target Compounds					Ovalue
13) Acetone	4.12	43	9456	7.389 ug/L	81
16) Methylene chloride	4.91	84	15373	3.338 ug/L	86
47) Tetrachloroethene	10.87	164	1195	0.294 ug/L	86

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW032519\
Data File : VW009448.D
Acq On : 26 Mar 2019 00:51
Operator : SY/VA
Sample : K2044-16
Misc : 5.87G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BF5W7

Manual Integrations
APPROVED

MMDadoda
3/27/2019 12:15:17 PM

Quant Time: Mar 26 10:20:58 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 26 09:00:24 2019
Response via : Initial Calibration









#13
Acetone
Concen: 7.389 ug/L
RT: 4.12 min Scan# 364
Delta R.T. 0.00 min
Lab File: VW009448.D
Acq: 26 Mar 2019 00:51

Instrument :
MSVOA_W
ClientSampleId :
BF5W7

Tot Ion	Ratio	Lower	Upper
43	100		
58	18.1	0.0	56.2




Manual Integrations
APPROVED




MMDadoda
3/27/2019 12:15:17 PM



#16
Methylene chloride
Concen: 3.338 ug/L
RT: 4.91 min Scan# 493
Delta R.T. -0.01 min
Lab File: VW009448.D
Acq: 26 Mar 2019 00:51

Tgt Ion	Ratio	Lower	Upper
84	100		
49	120.9	96.0	178.2
86	51.2	44.4	82.5





#47

Tetrachloroethene

Concen: 0.294 ug/L

RT: 10.87 min Scan# 1470

Delta R.T. 0.01 min

Lab File: VW009448.D

Acq: 26 Mar 2019 00:51

Instrument :

MSVOA_W

ClientSampleId :

BF5W7

Tot Ion:164 Resp: 1195

Ion Ratio Lower Upper

164 100

129 76.3 66.5 123.5

131 72.4 62.6 116.3

166 122.8 91.6 170.0

Manual Integrations

APPROVED

MMDadoda

3/27/2019 12:15:17 PM

Abundance Ion 164.00 (163.70 to 164.70): V

Ion 129.00 (128.70 to 129.70): V

Ion 131.00 (130.70 to 131.70): V

Ion 166.00 (165.70 to 166.70): V

