


Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032519\
Data File : VW009420.D
Acq On : 25 Mar 2019 11:34
Operator : SY/VA
Sample : K2062-02
Misc : 11.15G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 11 08:19:17 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 26 07:46:05 2019
Response via : Initial Calibration

Instrument :
MSVOA_W
Client Sampled :
BF0G9

Manual Integrations
APPROVED

MMDadoda
3/27/2019 12:12:36 PM



Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032519\

Data File : VW009420.D

Acq On : 25 Mar 2019 11:34

Operator : SY/VA

Sample : K2062-02

Misc : 11.15G/10ML/MSVOA W/SOIL

ALS Vial : 1 Sample Multiplier: 1

Quant Time: Mar 26 07:50:34 2019

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M

Quant Title : VOC Analysis

QLast Update : Tue Mar 26 07:46:05 2019

Response via : Initial Calibration

Instrument :

MSVOA_W




ClientSampleId :

BF0G9

Manual Integrations
APPROVED

MMDadoda

3/27/2019 12:12:36 PM



(16) Methylene chloride (T)

4.903min (-0.012) 1.19ug/L

response 6420

Ion	Exp%	Act%
84.00	100	100
49.00	137.10	123.65
86.00	63.50	53.44
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032519\

Data File : VW009420.D

Acq On : 25 Mar 2019 11:34

Operator : SY/VA

Sample : K2062-02

Misc : 11.15G/10ML/MSVOA W/SOIL

ALS Vial : 1 Sample Multiplier: 1

Quant Time: Mar 26 07:50:34 2019

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M

Quant Title : VOC Analysis

QLast Update : Tue Mar 26 07:46:05 2019

Response via : Initial Calibration

Instrument :

MSVOA_W

ClientSampleId :




BF0G9

Manual Integrations

APPROVED

MMDadoda

3/27/2019 12:12:36 PM



(16) Methylene chloride (T)

4.903min (-0.012) 2.67ug/L m

response 14462

Ion Exp% Act%

84.00 100 100

49.00 137.10 123.65

86.00 63.50 53.44

0.00 0.00 0.00

3 M.D
3/27/19

Quantitation Report (Qedit)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032519\

Data File : VW009420.D

Acq On : 25 Mar 2019 11:34

Operator : SY/VA

Sample : K2062-02

Misc : 11.15G/10ML/MSVOA W/SOIL

ALS Vial : 1 Sample Multiplier: 1

Quant Time: Mar 26 07:50:34 2019

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M

Quant Title : VOC Analysis

QLast Update : Tue Mar 26 07:46:05 2019

Response via : Initial Calibration

Instrument :

MSVOA_W

ClientSampled :




BF0G9

Manual Integrations

APPROVED

MMDadoda

3/27/2019 12:12:36 PM



(26) 1,2-Dichloroethane-d4 (S)

8.391min (+0.086) 0.03ug/L

response 173

Ion	Exp%	Act%
65.00	100	100
67.00	50.80	42.77
51.00	97.70	79.77
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032519\

Data File : VW009420.D

Acq On : 25 Mar 2019 11:34

Operator : SY/VA

Sample : K2062-02

Misc : 11.15G/10ML/MSVOA W/SOIL

ALS Vial : 1 Sample Multiplier: 1

Quant Time: Mar 26 07:50:34 2019

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M

Quant Title : VOC Analysis

QLast Update : Tue Mar 26 07:46:05 2019

Response via : Initial Calibration

Instrument :

MSVOA_W

Client Sampled :




BF0G9

Manual Integrations

APPROVED

MMDadoda

3/27/2019 12:12:36 PM



(26) 1,2-Dichloroethane-d4 (S)

8.305min (+0.000) 25.22ug/L m

response 153985

3 M.D
03/27/19

Ion	Exp%	Act%
65.00	100	100
67.00	50.80	0.05#
51.00	97.70	0.09#
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032519\

Data File : VW009420.D

Acq On : 25 Mar 2019 11:34

Operator : SY/VA

Sample : K2062-02

Misc : 11.15G/10ML/MSVOA W/SOIL

ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 11 08:19:17 2019

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M

Quant Title : VOC Analysis

QLast Update : Tue Mar 26 07:46:05 2019

Response via : Initial Calibration

Instrument :

MSVOA_W

ClientSampleId :

BF0G9

Manual Integrations
APPROVEDMMDadoda
3/27/2019 12:12:36 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	371465	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	346739	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	160087	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	93062	20.96	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.84%
7) Chloroethane-d5	2.89	69	102835	19.80	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.20%
10) 1,1-Dichloroethene-d2	4.01	63	154261	16.08	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.32%
20) 2-Butanone-d5	7.07	46	115975	63.17	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	126.34%
24) Chloroform-d	7.64	84	234508	23.13	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.52%
26) 1,2-Dichloroethane-d4	8.31	65	153985m	25.22	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.88%
29) Benzene-d6	8.27	84	416317	21.77	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	87.08%
33) 1,2-Dichloropropane-d6	9.27	67	137694	23.97	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.88%
37) Toluene-d8	10.32	98	365997	20.70	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	82.80%
38) trans-1,3-Dichloropropene-	10.58	79	63855	22.14	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.56%
39) 2-Hexanone-d5	10.93	63	82593	59.38	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	118.76%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	154913	27.39	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	109.56%
61) 1,2-Dichlorobenzene-d4	13.86	152	143959	23.45	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	93.80%

Target Compounds

					Ovalue
13) Acetone	4.12	43	14583	9.687 ug/L	74
16) Methylene chloride	4.90	84	14462m	2.670 ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

M.D.
3/27/19