

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032519\
 Data File : VW009439.D
 Acq On : 25 Mar 2019 20:46
 Operator : SY/VA
 Sample : K2044-05
 Misc : 3.43G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF5T5

Quant Time: Mar 26 09:44:27 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 26 09:00:24 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	43014	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	42777	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	17967	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	12910	25.12	ug/L	-0.01
Spiked Amount	25.000	Range	30 - 150	Recovery	=	100.48%
7) Chloroethane-d5	2.89	69	13718	22.81	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.24%
10) 1,1-Dichloroethene-d2	4.01	63	21034	18.93	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	75.72%
20) 2-Butanone-d5	7.09	46	9167	43.12	ug/L	0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	86.24%
24) Chloroform-d	7.65	84	31940	27.21	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	108.84%
26) 1,2-Dichloroethane-d4	8.31	65	20784	29.39	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	117.56%
29) Benzene-d6	8.27	84	51795	21.96	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	87.84%
33) 1,2-Dichloropropane-d6	9.28	67	18776	26.50	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	106.00%
37) Toluene-d8	10.32	98	40884	18.74	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	74.96%
38) trans-1,3-Dichloropropene-	10.58	79	6917	19.44	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	77.76%
39) 2-Hexanone-d5	10.93	63	7069	41.19	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	82.38%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	18552	26.59	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	106.36%
61) 1,2-Dichlorobenzene-d4	13.86	152	14407	20.91	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	83.64%


Target Compounds					Ovalue
16) Methylene chloride	4.91	84	5114	8.153 ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW032519\
Data File : VW009439.D
Acq On : 25 Mar 2019 20:46
Operator : SY/VA
Sample : K2044-05
Misc : 3.43G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF5T5

Quant Time: Mar 26 09:44:27 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 26 09:00:24 2019
Response via : Initial Calibration





#16

Methylene chloride

Concen: 8.153 ug/L

RT: 4.91 min Scan# 493

Delta R.T. -0.01 min

Lab File: VW009439.D

Acq: 25 Mar 2019 20:46

Instrument :

MSVOA_W

ClientSampleId :

BF5T5

Tot Ion: 84 Resp: 5114

Ion Ratio Lower Upper

84 100

49 118.9 96.0 178.2

86 61.3 44.4 82.5

