

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032619\
 Data File : VW009461.D
 Acq On : 26 Mar 2019 12:40
 Operator : SY/VA
 Sample : K2065-08
 Misc : 5.33G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Mar 27 01:32:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Mar 27 01:27:49 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	412883	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	381323	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	166991	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	86579	17.55	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	70.20%
7) Chloroethane-d5	2.89	69	94348	16.34	ug/L	0.01
Spiked Amount	25.000	Range	30 - 150	Recovery	=	65.36%
10) 1,1-Dichloroethene-d2	4.02	63	147976	13.88	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	55.52%
20) 2-Butanone-d5	7.08	46	67933	33.29	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	66.58%
24) Chloroform-d	7.65	84	230214	20.43	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	81.72%
26) 1,2-Dichloroethane-d4	8.30	65	132949	19.59	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	78.36%
29) Benzene-d6	8.27	84	405807	19.30	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	77.20%
33) 1,2-Dichloropropane-d6	9.27	67	131822	20.87	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	83.48%
37) Toluene-d8	10.32	98	350578	18.03	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	72.12%
38) trans-1,3-Dichloropropene-	10.57	79	51842	16.34	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	65.36%
39) 2-Hexanone-d5	10.93	63	45686	29.86	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	59.72%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	111260	17.89	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	71.56%
61) 1,2-Dichlorobenzene-d4	13.85	152	128126	20.01	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	80.04%

Target Compounds


					Ovalue
16) Methylene chloride	4.92	84	13733	2.281 ug/L	82
21) 2-Butanone	7.18	43	5603	2.425 ug/L	77
42) cis-1,3-Dichloropropene	10.04	75	4456	0.511 ug/L	84
45) trans-1,3-Dichloropropene	10.58	75	3181	0.419 ug/L	86


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW032619\
Data File : VW009461.D
Acq On : 26 Mar 2019 12:40
Operator : SY/VA
Sample : K2065-08
Misc : 5.33G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Mar 27 01:32:43 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 27 01:27:49 2019
Response via : Initial Calibration









#16
Methylene chloride
Concen: 2.281 ug/L
RT: 4.92 min Scan# 495
Delta R.T. 0.01 min
Lab File: VW009461.D
Acq: 26 Mar 2019 12:40




Instrument :
MSVOA_W
ClientSampleId :


Tot Ion: 84 Resp: 13733
Ion Ratio Lower Upper
84 100
49 115.1 96.0 178.2
86 50.6 44.4 82.5



#21
2-Butanone
Concen: 2.425 ug/L
RT: 7.18 min Scan# 865
Delta R.T. 0.01 min
Lab File: VW009461.D
Acq: 26 Mar 2019 12:40

Tgt Ion: 43 Resp: 5603
Ion Ratio Lower Upper
43 100
72 14.3 13.1 39.1





#42

cis-1,3-Dichloropropene

Concen: 0.511 ug/L

RT: 10.04 min Scan# 1334

Delta R.T. -0.04 min

Lab File: VW009461.D

Acq: 26 Mar 2019 12:40

Instrument :

MSVOA_W





ClientSampled :

Tot Ion: 75 Resp: 4456

Ion Ratio Lower Upper

75 100

77 39.8 21.6 40.2



#45

trans-1,3-Dichloropropene

Concen: 0.419 ug/L

RT: 10.58 min Scan# 1423

Delta R.T. -0.02 min

Lab File: VW009461.D

Acq: 26 Mar 2019 12:40

Tgt Ion: 75 Resp: 3181

Ion Ratio Lower Upper

75 100

77 39.8 22.5 41.7

