

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032719\
 Data File : VW009522.D
 Acq On : 28 Mar 2019 01:55
 Operator : SY/VA
 Sample : K2068-18
 Misc : 5.13G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF5M4

Quant Time: Mar 28 07:47:25 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Mar 28 07:41:43 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	285676	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	220879	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	58676	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	65797	19.27	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.08%
7) Chloroethane-d5	2.89	69	76719	19.21	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.84%
10) 1,1-Dichloroethene-d2	4.01	63	104400	14.15	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	56.60%
20) 2-Butanone-d5	7.16	46	309	0.22	ug/L	0.09
Spiked Amount	50.000	Range	20 - 135	Recovery	=	0.44%#
24) Chloroform-d	7.64	84	183134	23.49	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.96%
26) 1,2-Dichloroethane-d4	8.30	65	114164	24.31	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	97.24%
29) Benzene-d6	8.27	84	297821	24.45	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	97.80%
33) 1,2-Dichloropropane-d6	9.27	67	101414	27.72	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	110.88%
37) Toluene-d8	10.32	98	219499	19.49	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	77.96%
38) trans-1,3-Dichloropropene-	10.58	79	17101	9.31	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	37.24%
39) 2-Hexanone-d5	10.93	63	10784	12.17	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	24.34%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	80176	22.25	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	89.00%
61) 1,2-Dichlorobenzene-d4	13.85	152	47250	21.00	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	84.00%

Target Compounds


					Ovalue
13) Acetone	4.12	43	15684	13.547 ug/L	98
16) Methylene chloride	4.92	84	21414	5.140 ug/L	84
49) 2-Hexanone	10.96	43	29679	14.990 ug/L #	51
59) 1,2,3-Trichloropropane	13.56	75	8324	3.359 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW032719\
Data File : VW009522.D
Acq On : 28 Mar 2019 01:55
Operator : SY/VA
Sample : K2068-18
Misc : 5.13G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF5M4

Quant Time: Mar 28 07:47:25 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Thu Mar 28 07:41:43 2019
Response via : Initial Calibration









#13
Acetone
Concen: 13.547 ug/L
RT: 4.12 min Scan# 363
Delta R.T. -0.00 min
Lab File: VW009522.D
Acq: 28 Mar 2019 01:55




Instrument :
MSVOA_W
ClientSampleId :
BF5M4


Tot Ion: 43 Resp: 15684
Ion Ratio Lower Upper
43 100
58 27.0 0.0 56.2



#16
Methylene chloride
Concen: 5.140 ug/L
RT: 4.92 min Scan# 494
Delta R.T. 0.01 min
Lab File: VW009522.D
Acq: 28 Mar 2019 01:55

Tgt Ion: 84 Resp: 21414
Ion Ratio Lower Upper
84 100
49 118.0 96.0 178.2
86 51.2 44.4 82.5





#49

2-Hexanone

Concen: 14.990 ug/L

RT: 10.96 min Scan# 1485

Delta R.T. -0.01 min

Lab File: VW009522.D

Acq: 28 Mar 2019 01:55

Instrument :

MSVOA_W

ClientSampled :

BF5M4

Tot Ion: 43 Resp: 29679


Ion Ratio Lower Upper

43 100

58 7.7 39.2 58.8#

57 3.6 14.2 21.2#

100 1.3 8.9 13.3#






Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 58.00 (57.70 to 58.70): VW

Ion 57.00 (56.70 to 57.70): VW

Ion 100.00 (99.70 to 100.70): VW

Time-->



#59

1,2,3-Trichloropropane

Concen: 3.359 ug/L

RT: 13.56 min Scan# 1912

Delta R.T. 0.79 min

Lab File: VW009522.D


Acq: 28 Mar 2019 01:55

Tgt Ion: 75 Resp: 8324

Ion Ratio Lower Upper

75 100

77 37.0 26.2 39.2



Abundance Ion 75.00 (74.70 to 75.70): VW

Ion 77.00 (76.70 to 77.70): VW

Time-->

