


Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW032819\
Quantitation Report (QT Reviewed)
Data File : VW009538.D
Acq On : 28 Mar 2019 15:13
Operator : SY/VA
Sample : K2084-06
Misc : 4.29G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
Client Sampled :
BF7W8

Quant Time: Mar 29 07:03:39 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 29 05:35:33 2019
Response via : Initial Calibration

Manual Integrations
APPROVED

MMDadoda
4/1/2019 4:06:08 AM



Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW032819\
Quantitation Report (Qedit)




Data File : VW009538.D
Acq On : 28 Mar 2019 15:13
Operator : SY/VA
Sample : K2084-06
Misc : 4.29G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF7W8

Manual Integrations
APPROVED

MMDadoda
4/1/2019 4:06:08 AM

Quant Time: Mar 29 05:39:17 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 29 05:35:33 2019
Response via : Initial Calibration



TIC: VW009538.D

(10) 1,1-Dichloroethene-d2 (S)

3.928min (-0.079) 0.01ug/L

response 92

Ion	Exp%	Act%
63.00	100	100
98.00	70.80	58.70
65.00	23.00	21.74
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW032819\
Quantitation Report (Qedit)




Data File : VW009538.D
Acq On : 28 Mar 2019 15:13
Operator : SY/VA
Sample : K2084-06
Misc : 4.29G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF7W8

Manual Integrations
APPROVED

MMDadoda
4/1/2019 4:06:08 AM

Quant Time: Mar 29 05:39:17 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 29 05:35:33 2019
Response via : Initial Calibration



(10) 1,1-Dichloroethene-d2 (S)

4.013min (+0.006) 19.98ug/L m

response 181572

Ion	Exp%	Act%
63.00	100	100
98.00	70.80	0.03#
65.00	23.00	0.01#
0.00	0.00	0.00

→ mQ
4/1/19

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW032819\
Quantitation Report (Qedit)




Data File : VW009538.D
Acq On : 28 Mar 2019 15:13
Operator : SY/VA
Sample : K2084-06
Misc : 4.29G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF7W8

Manual Integrations
APPROVED

MMDadoda
4/1/2019 4:06:08 AM

Quant Time: Mar 29 05:39:17 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 29 05:35:33 2019
Response via : Initial Calibration



(13) Acetone (T)

4.117min (-0.000) 3.16ug/L

response 4503

Ion	Exp%	Act%
43.00	100	100
58.00	28.10	49.34
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW032819\
Quantitation Report (Qedit)




Data File : VW009538.D
Acq On : 28 Mar 2019 15:13
Operator : SY/VA
Sample : K2084-06
Misc : 4.29G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF7W8

Manual Integrations
APPROVED

MMDadoda
4/1/2019 4:06:08 AM

Quant Time: Mar 29 05:39:17 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 29 05:35:33 2019
Response via : Initial Calibration



(13) Acetone (T)

4.117min (-0.000) 5.27ug/L m

response 7518

Ion	Exp%	Act%
43.00	100	100
58.00	28.10	29.56
0.00	0.00	0.00
0.00	0.00	0.00

7 mg
4/1/19

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW032819\
Quantitation Report (QT Reviewed)

Data File : VW009538.D
Acq On : 28 Mar 2019 15:13
Operator : SY/VA
Sample : K2084-06
Misc : 4.29G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
Client Sample Id :
BF7W8

Manual Integrations
APPROVED

MMDadoda
4/1/2019 4:06:08 AM

Quant Time: Mar 29 07:03:39 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 29 05:35:33 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Difluorobenzene	8.84	114	351803	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	350317	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	159462	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	126037	29.98	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	119.92%
7) Chloroethane-d5	2.89	69	107974	21.95	ug/L	0.02
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.80%
10) 1,1-Dichloroethene-d2	4.01	63	181572m	19.98	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	79.92%
20) 2-Butanone-d5	7.07	46	79871	45.94	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.88%
24) Chloroform-d	7.65	84	221736	23.10	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.40%
26) 1,2-Dichloroethane-d4	8.31	65	137483	23.77	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.08%
29) Benzene-d6	8.27	84	425745	22.04	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.16%
33) 1,2-Dichloropropane-d6	9.27	67	128726	22.18	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.72%
37) Toluene-d8	10.32	98	374278	20.95	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	83.80%
38) trans-1,3-Dichloropropene-	10.58	79	56869	19.51	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	78.04%
39) 2-Hexanone-d5	10.93	63	51307	36.51	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	73.02%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	125386	21.94	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	87.76%
61) 1,2-Dichlorobenzene-d4	13.86	152	138630	22.67	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	90.68%

Target Compounds

13) Acetone	4.12	43	7518m	5.273	ug/L	Qvalue
16) Methylene chloride	4.92	84	37474	7.305	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed